

Index

A

- A/OTM process, 20-26, 20-59
- A²/OTM process, 20-27
- Accelerometer, 12-13
- Acceptable management practices, 2-7
- Accident reporting/investigating, 5-52
- Accounting records, 6-36
- Acetic acid, 20-26, 26-52
- Acid/gas digestion, 30-6
- Activated biofilter process, 21-53
- Activated carbon
 - adsorption, 13-34, 24-50
 - scrubbers, digester gas, 30-42
- Activated sludge, 13-19, 13-38, 14-4
- Acute toxicity testing, 17-21
- Adjustable-speed drives, 10-17
- Administrative reports, 6-34
- Adult training, 16-23
- Advanced control, 7-42
- Advanced processes, 24-50
- Advanced wastewater treatment, 2-11
- Aerated grit chambers, 18-14
- Aerated lagoons, 23-5
- Aerated lagoons, process control, 23-12
- Aerated static pile composting, 32-5
- Aerated vortex, 18-13
- Aeration, 20-42, 20-148, 20-187
 - biological nutrient removal, 22-19, 22-53
 - composting, 32-13
 - energy consumption, 20-81
 - equipment, combined processes, 21-60
 - mechanical, 20-110
 - rotating biological contactors, 21-45
 - system analysis, 25-20
 - systems, 20-32
 - systems, composting, 32-9
- Aeration basin
 - combined processes, 21-59, 21-61
 - standard operating procedures, 14-10
- Aerators
 - diffused, 31-41
 - mechanical surface, 31-44
 - submerged mechanical, 31-44

- Aerobic digestion, 20-173, 27-5, 31-1
 - aerobic-anoxic operation, 31-22
 - autothermal thermophilic, 31-8
 - basin configuration, 31-21
 - batch operation, 20-180
 - chemical addition, 25-45
 - continuous operation, 20-180
 - cryophilic, 31-11
 - data collection and laboratory control, 31-64
 - equipment, 31-39
 - blowers, 31-45
 - control, 31-47
 - diffused aeration, 31-41
 - mechanical surface aerators, 31-44
 - mixing and aerating, 31-46
 - piping requirements, 31-41
 - pumps, 31-45
 - submerged mechanical aerators, 31-44
 - thickening, 31-47
 - freezing, 20-186
 - high-purity-oxygen, 31-7
 - land application, 31-48
 - maintenance, 31-64,
 - mesophilic, 31-12
 - mixing, 20-177
 - nitrification and denitrification, 31-22, 31-23
 - operations, 31-60
 - performance, 20-181, 31-5, 31-47, 31-50
 - pathogen reduction, 31-51
 - standard oxygen uptake rate, 31-50
 - volatile solids reduction, 31-51
 - prethickening, 31-12
 - process control, 31-57
 - processes, 31-6
 - reactor loading, 20-182
 - reactors, 31-39
 - records, 31-65
 - regulations, 31-47
 - scheduling, 31-65
 - solids retention time, 20-177
 - start-up, 31-58
 - temperature, 20-176
 - troubleshooting, 31-60–31-64
- Aerobic lagoons, 23-4
- Aerobic lagoons, process control, 23-11
- Aerobic organisms, 20-6

- Aerobic-anoxic operation
 - aerobic digestion, 31-22
 - alkalinity recovery and pH balance, 31-24
 - dissolved oxygen and oxygen requirements, 31-26
 - energy savings, 31-26
 - nitrification and denitrification, 31-22
 - nitrogen removal, 31-27
 - phosphorus reduction, 31-29
 - system flexibility, 31-36
 - temperature control, 31-32
- Aerosols, 13-20
- Aerosols, safety, 5-21
- Affinity laws, 8-10
- Aggregates, 24-5
- Aggregation, 24-15
- Air conditioning systems, 11-11
- Air drives, rotating biological contactors, 21-50
- Air monitoring, heating/ventilating/air conditioning systems, 11-15
- Air pollution control permit reports, 6-22
- Air-delivery systems, 20-33
- Air-drying, 11-9
 - chemical conditioning, 33-50
 - feed solids, 33-50
 - paved beds, 33-47
 - process control, 33-50
 - process variables, 33-49
 - reed beds, 33-45
 - sand beds, 33-46
 - system design, 33-50
 - troubleshooting, 33-51
 - vacuum-assisted drainage beds, 33-47
 - wedge-wire beds, 33-48
- Airflow rate, 20-81
- Air-lift pumps, 8-54
- Airspace monitoring, 17-39
- Air-stripping towers, 24-62
- Air-water backwash, 24-34
- Aliquot, 17-26, 17-34, 28-12
- Alkalinity, 17-7, 20-10, 20-55–20-57, 20-126, 20-E1, 20-G1
 - anaerobic digestion, 30-63
 - biological nutrient removal, 22-19, 22-56
 - fixed-film reactors, 21-5
- Allegheny County Sanitary Authority, 27-4, 27-10
- Allowable exposure, 13-9
- Alpha value, 20-80
- Alternating current, 10-3

- Alum, 24-6, 24-26
- Alum, dewatering, 33-15
- American National Standards Institute, 12-8
- American Petroleum Institute, 12-8
- Amines, 13-5
- Ammonia, 7-30, 13-5, 17-18, 20-9, 20-55, 20-56, 20-174, 20-F2, 24-57, 28-9
 - concentration, 24-60
 - electrodes, 20-F2
 - gas pressure-feed system, 9-37
 - stripping, 24-57, 24-60, 24-62, 24-63
- Anaerobic conditions, 13-13
- Anaerobic digestion, 14-5, 30-1–30-79
 - advanced processes, 30-5
 - carbon dioxide removal, 30-41
 - chemical addition, 25-44
 - cleaning, 30-58
 - conventional mesophilic, 30-4
 - corrosion protection, 30-16
 - covers, 30-14
 - decanting, 30-57
 - facilities and equipment, 30-11
 - feeding, 30-55
 - foam and sediment removal, 30-38
 - foaming, 30-69
 - gas compression, 30-43
 - gas handling, 30-37
 - gas storage, 30-45
 - gas system equipment, 30-46
 - heat transfer, 30-34
 - heating, 30-27
 - high solids concentration, 30-8
 - hydrogen sulfide removal, 30-39
 - mixed, 30-18
 - mixing, 30-17
 - moisture reduction, 30-41
 - monitoring/testing, 30-62
 - multistage, 30-6
 - operation, 30-52
 - overload conditions, 30-64
 - pathogen reduction, 30-9
 - precipitate scaling, 30-61
 - safety, 30-50
 - scum control, 30-58
 - secondary, 30-13
 - shutdown, 30-53
 - siloxane removal, 30-41

- sludge withdrawal, 30-56
 - start-up, 30-52
 - steam injection heating, 30-35
 - troubleshooting, 30-70
 - turnover rates, 30-27
 - unmixed, 30-18
 - upset conditions, 30-64
 - vector attraction reduction, 30-10
- Anaerobic lagoons, 23-4
- Anaerobic lagoons, process control, 23-12
- Anaerobic organisms, 20-6
- Anaerobic zone, 20-58
- Anaerobic/anoxic/oxic process, 22-41
- Anaerobic/oxic process, 22-41
- Analog signal transmission, 7-37
- Analysis, 16-25, 25-16
 - aeration system, 25-20
 - data collection, 14-7
 - parameters, 7-4
 - tools to determine mixing efficiency, 24-14
- Analysis plan, 18-22
- Ancillary equipment, thickening, 29-4
- Annual audit report, 6-35
- Annual budget, 6-35
- Annual operating reports, 6-34
- Anoxic conditions, 20-57
- Anoxic step-feed process, nitrogen removal, 22-32
- Applicability, 12-19
- Approval authority, 4-14
- Appurtenances, 8-38, 8-58
 - maintenance, 8-84
 - pumping stations, 8-81
- Area, 7-9
- Asbestos, 20-21
- Ash, 28-7
- Ashing, 20-135, 20-136
- Assessment tools, 16-22
- Asset management, 3-4, 3-32, 3-39
- Attached-growth systems, 2-11
- Attachments, 16-15
- Attitudes, 16-23
- Audit of training, 16-10
- Automatic controllers, 7-42
- Automatic sampling, 17-25, 17-28
- Automation, 20-65, 20-88
 - centrifuge thickening, 29-62

- dewatering, 33-33
- Automation and information technologies, 3-33
- Autothermal thermophilic aerobic digestion, 31-8
 - advantages, 31-8
 - disadvantages, 31-9
 - typical design considerations, 31-9
- Available net positive suction head, 8-14
- Average daily flow, 26-28
- Axial-flow impeller, 8-33

B

- Backwashing, 24-7, 24-20
 - duration, 24-33
 - filters, 24-33
- Bacteria, 26-3
 - die-off, 26-4
 - removal, 24-27
- Baffles, rotating biological contactors, 21-38
- Balance quality grade, 12-8
- Balance tolerances, 12-7
- Balancing, 12-5
- Ballasted flocculation, 24-5
- Ballasted-media flocculation, 24-17
- bar graphs, 14-29, 14-30
- Bar screens, 18-4
- Bardenpho™ process, 20-25, 20-77, 22-30
- Bardenpho™ process, modified, 20-28
- Barminutors, 18-8
- Baseline Monitoring Report, 4-21, 4-24, 4-26
- Baseline training, 16-7, 16-19
- Basin configuration, aerobic digestion, 31-21
- Batch systems, 20-13
- Bearing life formula, 12-6
- Belt conveyors, 18-11
- Belt filter press, 33-63
 - maintenance, 33-70
 - operating principles, 33-64, 33-66
 - optimization, 33-68
 - process variables, 33-65
 - safety considerations, 33-70
 - troubleshooting, 33-68
- Benchmarking, 3-30, 12-21
- Beneficial use, 2-5, 2-16, 27-13
- Best efficiency point, 8-13, 8-41
- Best management practices, 2-6, 27-3

Big Red Valley Sewer District, Ira A. Sefer WWTP, 14-10

Billing

- electricity, 10-41
- payment, 6-36

Binary number system, 7-38

Bioassay, 2-6, 26-6

Bioassay toxicity testing, 17-21

Bioaugmentation, 25-45, 28-7

Bioaugmentation products, treatment applications, 25-47

Biochemical oxygen demand, 2-3, 17-12, 19-26

Biochemistry

- denitrification, 22-25
- enhanced biological phosphorus removal, 22-39
- nitrification, 22-22

Biofilter–activated sludge process, 21-58

Biofiltration, 13-36

Biogas, 30-37

Biological characteristics, 7-32, 17-12, 17-20, 20-23, 20-57, 20-58, 20-60, 20-106, 20-139

- aeration, 22-19, 22-53
- alkalinity, 22-19, 22-56
- alternatives, 22-4
- biochemistry, 22-5
- biological selectors, 22-6
- bulking sludge, 22-64
- combined nitrogen/phosphorus removal, 22-41
- denitrification, 22-24, 22-56
- enhanced biological phosphorus removal, 22-38
- foam control, 22-62
- foaming, 22-19
- food-to-microorganism ratio, 22-16, 22-51
- hydraulic retention time, 22-20, 22-52
- mean cell residence time, 22-14, 22-47
- nitrification, 22-22
- oxidation–reduction potential, 22-58
- oxygen requirements, 22-53
- pH, 22-19, 22-56
- process control, 22-47
- recycle flows, 22-58
- return flows, 22-19
- secondary clarification, 22-60
- sludge settleability, 22-19
- troubleshooting, 22-61

Biological phosphorus removal, 20-11

Biological properties, 28-11

Biological reactors, 20-31

- Biological selectors, 22-6
 - equipment, 22-10
 - growth zones, 22-6
 - selector size, 22-10
- Biomass growth rate, 22-23
- Biosolids quality
 - belt filter press, 33-65
 - dewatering centrifuge, 33-74
- Biosolids, 2-13, 2-15, 27-2, 28-4, 28-10
 - air-drying, 33-43
 - quality improvement, 33-8
- Biotower, combined processes, 21-59, 21-61
- Biotowers (also see trickling filters), 21-7
- Biotrickling filters, 13-37
- Blanket depth, 20-44
- Blending, 13-22
- Bloom's Taxonomy, 16-25
- Blowers, 20-32
- Blowers, aerobic digestion, 31-45
- Boilers, digester heating, 30-36
- Bonding requirements, 15-20
- Bottom mixing, anaerobic digesters, 30-22
- Bound water, biosolids, 33-6
- Brake power, 8-8
- Branch power panels, 10-18
- Breakpoint chlorination, 24-57, 24-60, 24-63
- Breakpoint, 26-29
- Bromine chloride, 26-51
- Bubble gun mixing, anaerobic digesters, 30-24
- Bubbler tube system, 7-20
- Budgeting, 3-32, 6-34
- Bulking agents, composting, 32-13
- Bulking sludge, 17-19, 20-46, 20-123
- Bulking sludge, biological nutrient removal, 22-64
- Bypass, 4-25

C

- Cake dryness, belt filter press, 33-65
- Calcium carbonate, 24-8, 24-19
- Calcium hypochlorite, 26-35
- Calcium, 27-4
- Calcium, digester scaling, 30-61,
- Calculations
 - chemical dosage, 9-51
 - sludge wasting, 14-12

- Calibration, 7-51
- Cameras, 7-50
- Capacitive proximity sensors, 7-27
- Capacitor, 7-23
- Capacitors, power factor improvement, 10-24
- Capillary water, biosolids, 33-7
- Capital improvements, 15-18
- Carbon
 - adsorption, 13-34
 - tests, 24-58
 - vessel schematics, 24-56
 - apparent density, 24-54
 - contact columns, 24-53
 - dosage, 24-55
 - media, 13-36
 - regeneration, 24-52
- Carbon dioxide, digesters, 30-41
- Carbonaceous biochemical oxygen demand, 20-8, 20-30, 20-49
- Case histories, polymer evaluation, 33-37
- Categorical industrial user, 4-5
- Categorical industrial user reporting requirements, 4-23, 4-24
- Categorical Pretreatment Standards, 4-6
- Caustic soda, 20-126, 20-B1
- Caustic soda, chemical addition, 25-43
- Cavitation, 8-13
- Cell lysis, 26-43
- Centralization, 7-6
- Centrifugal force, 12-7
- Centrifugal pumps, 8-28
- Centrifuge thickening, 29-58
 - equipment, 29-59, 29-63
 - equipment, automation, 29-62
 - performance, 29-64
 - preventive maintenance, 29-67
 - process control, 29-64
 - bowl speed, 29-65
 - feed characteristics, 29-64
 - hydraulic loading rate, 29-65
 - polymer dose, 29-65
 - pond depth (weir adjustment), 29-65
 - process description, 29-58
 - safety, 29-67
 - sampling and testing, 29-66
 - shutdown, 29-66
 - start-up, 29-66
 - troubleshooting, 29-67

- Centrifuges, dewatering, 33-71
- Certification, 28-14
- Chain drives, 18-6
- Chain-of-custody procedures, 17-34, 28-12
- Characterization, 27-2, 28-8
- Checker plates, 26-16
- Chemical addition, 13-27, 13-28, 19-16, 19-24, 25-29
 - aerobic digestion, 25-45
 - anaerobic digestion, 25-44
 - application points, 24-67, 25-35, 25-36
 - chemical selection, 25-31
 - costs, 25-39
 - defining byproducts and residuals management, 25-33
 - disinfection, 25-43
 - dosing control, 25-37
 - energy consumption, 25-31
 - environmental effects, 25-38, 25-39
 - impacts, 25-31
 - inorganic, 33-9
 - lagoons, 25-44
 - limited plant capacity, 25-30
 - plant testing, 25-32
 - primary treatment, 25-40
 - secondary treatment, 25-41
 - soda ash and caustic soda, 25-43
 - storage and handling, 25-37
 - thickening, 25-44
- Chemical additives, 27-4
- Chemical characteristics, 17-7
- Chemical coagulation for enhanced solids removal, 24-65
- Chemical coagulation for phosphorus removal, 24-65
- Chemical composition, 17-18
- Chemical conditioning, 33-81
- Chemical dosage calculations, 9-51
- Chemical dosages, 25-30
- Chemical feeding, 9-2, 9-24, 20-A1
- Chemical feeding, recommendations, 9-25–9-34
- Chemical generation
 - on-site, 9-46
 - skid-mounted units, 9-48
 - sodium hypochlorite, 9-47
- Chemical handling, 9-21
- Chemical oxygen demand, 17-8
- Chemical properties, 28-9
- Chemical residuals, 28-4
- Chemical sludge recycle/wasting, 24-30

- Chemical stabilization, 2-15
- Chemical wet scrubbers, 13-34
- Chemicals
 - bag, drum, and tote storage, 9-17
 - bulk storage, 9-14, 9-15
 - cylinder and ton container storage, 9-19
 - delivery, 5-14
 - determining dosage, 24-25
 - NFPA symbols, 5-18
 - operating considerations, 9-9
 - physical properties, 9-5
 - purchasing, 33-16
 - safety, 5-12, 5-13, 9-5–9-8
 - storage, 9-11, 9-14
 - chemical purity, 9-20
 - leak detection, 9-16
 - troubleshooting, 9-21
 - unloading, 9-11
- Chemotrophs, 20-5
- Chick's law, 26-4
- Chloramines, 24-57, 26-20, 26-29, 26-38
- Chlorination, 13-20, 20-47, 20-D1, 26-17
 - byproducts, 24-60
 - environmental impacts, 26-19
 - routine operations, 26-33
 - shutdown, 26-27
 - start-up, 26-24
- Chlorine, 13-30, 17-18, 20-127
 - combined available, 26-19
 - containers, 26-32
 - cylinder handling, 26-32
 - demand, 26-29
 - disadvantages, 26-17
 - safety, 5-13
 - storage, 5-13
- Chlorine dioxide, 26-52
- Chlorine residual, 7-31, 26-6, 26-29, 26-38, 26-42
- Chloro-organic compounds, 26-29
- Circular sedimentation tanks, 19-11, 19-13, 19-14
- Clarification, 20-34
 - basins, standard operating procedures, 14-10
 - biological nutrient removal, 22-60
- Clarifiers, 17-17, 20-4, 20-8, 20-38, 20-43, 20-117, 20-135, 20-148, 24-5, 24-15, 24-37
 - combined processes, 21-61
 - depths, 20-35
 - process control plan, 14-18

- rotating biological contactors, 21-47
- safety factor, 20-121
- shapes, 20-34
- trickling filters/biotowers, 21-18, 21-21
- Class A biosolids, 27-11, 33-9
- Class A pathogen reduction, 30-9
- Class B pathogen reduction, 30-9,
- Classifiers, 18-17
- Clean Water Act, 2-2, 4-3
- Clean Water State Revolving Fund, 2-4
- Clean water test, 25-24, 25-61
- Cleaning methods, 26-16
- Clinoptilolite, 24-61
- Closed-circuit television system, 7-50
- Closed impellers, 8-33
- Closed-pipe flow measurement, 7-11
- Cloth media filter, 24-23
- Clumping, 20-131
- CMOM compliance reports, 6-20
- Coagulants, 20-54, 24-4, 24-8, 24-27
 - feed systems, 24-10
 - mixing, 24-10
- Coal, 24-53
- Coarse screens, 18-3
- Code of Federal Regulations, 4-4
- Cogeneration, 10-48
- Collaboration software, 6-8
- Collection of samples, 28-12
- Collection systems, 2-10, 13-13
- Collection systems, confined spaces regulations, 5-36
- Collection, solids, 19-19, 19-26
- Colloidal particles, 17-16, 24-4
- Color, 17-5
- Combined fixed-film/suspended growth processes, 21-52
 - nitrogen removal, 22-37
 - phosphorus removal, 22-46
- Combined grit removal and primary treatment, 19-42
- Combined nitrogen/phosphorus removal
 - anaerobic/anoxic/oxic process, 22-41
 - anaerobic/oxic process, 22-41
 - five-stage Bardenpho, 22-44
 - Johannesburg process, 22-44
 - modified University of Capetown process, 22-42
 - Virginia Initiative Plant, 22-42
- Combined processes
 - equipment description, 21-59

- planned maintenance, 21-62
 - process alternatives, 21-52
 - process control, 21-61
 - process description, 21-58
 - troubleshooting, 21-62
- Combined sewer overflows, 2-3
- Combined systems, 20-22
- Combined waste stream formula, 4-7
- Combines sewers, 2-10
- Commercial products, 27-8
- Commercial sources, 17-3
- Comminuting and grinding, 8-73
- Comminuting and pumping, 8-67
- Comminutors, 18-8
- Communication systems, 11-16
- Community Right-to-Know, 5-5
- Compensation adjustment, 15-18
- Complaints, 13-8, 13-44
- Complete mix, 20-13, 20-50
- Complete-mix fermenter, 19-40
- Compliance
 - 90-day reports, 4-24
 - order, 15-8
 - regulatory, 3-35
 - reports, 6-17
 - review, 4-21
 - schedule progress report, 4-24
- Composite samples, 4-19, 17-24, 24-35, 28-12
- Composting, 2-15, 13-24, 27-5
 - aerated static pile, 32-5
 - aeration, 32-13
 - aeration systems, 32-9
 - bulking agents, 32-13
 - horizontal beds, 32-5
 - mixing systems, 32-10
 - moisture control, 32-11
 - nonreactor systems, 32-5
 - nutrients, 32-11
 - odor control, 32-14
 - operations, 32-7
 - process comparison, 32-41
 - process control, 32-11
 - process descriptions, 32-3
 - reactor systems, 32-5
 - rotating drums, 32-5
 - safety/health, 32-14

- screening, 32-10
- silos, 32-5
- temperature control, 32-11
- troubleshooting, 32-14
- windrow, 32-5
- Compound control, 7-42
- Compressed air systems, 11-6
- Compressible media filter, 24-24
- Compressors
 - maintenance, 11-8
 - types, 11-7
- Computational fluid mixing, 24-14
- Computerized maintenance management system, 6-5, 12-23, 24-36
- Computers, 7-6, 19-37
- Condition-based maintenance, 12-3
- Conditioning, 33-81
 - polymers, 33-29
 - pressure filter, 33-85
- Condition-monitoring program, 12-4
- Condition-monitoring technologies, 12-12, 12-19
- Conductivity probes, 7-23
- Conductivity, 17-8
- Conduit, electrical distribution system, 10-24
- Confined spaces, 5-23
 - attendant's duties, 5-34
 - emergencies, 5-35
 - entrant's duties, 5-34
 - entry, 7-46, 13-8, 17-39, 26-47
 - entry supervisor's duties, 5-35
 - permits, 5-28, 5-31
 - regulations, 5-36
 - training, 5-32
- Constituents, 27-3
- Constraints, 16-13
- Construction, 16-19
- Contact channel, combined processes, 21-59, 21-61
- Contact stabilization, 20-16, 20-53
- Contact time, 26-27
- Containment, 13-31
- Contingency plans, 27-10
- Continuous backwash filters, 24-22
- Continuous control, 7-43
- Continuous filters, 24-41
- Continuous sampling, 17-27
- Continuous screen, 18-6
- Continuous-feed digesters, 20-181

- Continuous-flow systems, 20-13
- Contract buyout, 15-20
- Contract operations, 15-1
- Contract termination, 15-20
- Contract terms, 15-14
- Control authority, 4-4, 4-7, 4-13, 4-21, 4-24
- Control charts, 20-63
- Control circuitry, 10-21
- Control concepts, 7-39
- Control of chemical dosage, 24-28
- Control panel instrumentation, 7-5
- Control power, 10-24
- Control sensor
 - accuracy, 7-8
 - application, 7-7
- Control strategies, anaerobic digesters, 30-64
- Control systems, 7-6
- Controlled-volume pumps, 8-45, 8-56, 8-60
- Conventional processes, 24-37
- Conveying systems, 18-11, 18-15
- Co-precipitation, 24-66
- Coring device, 17-28
- Coriolis flow meter, 7-14
- Corporate experience, 15-12
- Corrective maintenance, 3-38, 6-28
- Correlation analysis, 14-36, 14-38
- Corrosion protection, digesters, 30-16
- Cost reduction incentives, 15-18
- Cost-adjustment index, 15-18
- Costs, 27-14
 - chemical addition, 25-39
 - pumping energy, 8-15
- Counteraction chemicals, 13-32
- Countercurrent stripping tower, 24-61
- Coupled processes, 21-52
- Coupled systems, 20-21
- Covers, 13-31
- Covers, rotating biological contactors, 21-40
- Criteria, 16-13
- Crossflow stripping tower, 24-61
- Cryophilic aerobic digestion, 31-11
- Cryptosporidium, 5-18
- Cure time, 12-9
- Current duties, 16-19
- Curriculum development, 16-6
- Cyclones, 18-16

D

- Daily records, 6-22
- Data analysis and
 - Data analysis, 25-9
 - calculations, offgas test, 25-54
 - chlorination, 26-32
 - ozonation, 26-46
 - Data collection, 14-7, 18-22, 24-34, 24-45, 24-49, 24-57, 25-9
 - aerobic digestion, 31-64
 - analytical methods, 14-7
 - chlorination, 26-32
 - dewatering, 33-97
 - flow measurement, 14-7
 - flow quantification, 14-7
 - maintenance reports, 14-8
 - ozonation, 26-46
 - process control data, 14-8
 - Data evaluation, 14-27
 - bar graph, 14-29, 14-30
 - correlation analysis, 14-36, 14-38
 - line graph, 14-28
 - line of best fit, linear regression, 14-33–14-35
 - pie chart, 14-31
 - scatter graph, 14-31, 14-32
 - statistics, 14-32
 - Data management system, 4-22
 - Data management technologies, 3-33
 - Data sampling
 - chlorination, 26-32
 - ozonation, 26-46
 - Deamination, 20-56
 - Decanting, digesters, 30-56
 - Decay rate, 26-37
 - Dechlorination mechanism, 26-38
 - Dechlorination, 7-31m 26-20, 26-37
 - equipment description, 26-39
 - routine operations, 26-42
 - safety, 26-39
 - shutdown, 26-41
 - start-up, 26-41
 - Deep tank aeration, 20-138
 - Deep-bed effluent filters, 22-38
 - Definitions, 16-13
 - Degradation, 26-37

- Degritting process, 18-22
- Demand charges, 10-42
- Denitrification, 20-10, 20-24, 20-25, 20-30, 20-54, 20-55, 20-57, 20-75, 20-131, 20-143, 22-24
 - biochemistry, 22-25
 - requirements for, 22-57
- Department hopping, 16-20
- Department of Transportation placards, 5-16
- Derivative control, 7-45
- Design, 16-21
- Design audit, 20-144
- Design engineer's report, 6-17
- Design shortcomings, 19-27, 19-28
- Design/build/operate, 15-3, 15-9
- Desulfovibrio bacteria, 13-5
- Detention time, 24-14, 24-38, 26-27
- Developer financing, 15-3
- Development, 16-21
- Device characteristics, 7-9
- Dewatering centrifuge, 33-71
 - bowl speed, 33-76
 - data sheet, 33-79
 - differential speed, 33-75
 - g force, 33-74
 - operating principles, 33-71, 33-76
 - performance, 33-75
 - polymer addition, 33-76
 - process control, 33-79
 - process variables, 33-74
 - scroll torque, 33-75
 - temperature, 33-79
 - torque control, 33-75
 - troubleshooting, 33-80
 - weir setting, 33-76
- Dewatering, 2-15, 13-23, 28-8
 - air-drying, 33-43
 - automation, 33-33
 - belt filter press, 33-63
 - centrifuges, 33-71
 - data collection, 33-97
 - economic factors, 33-31
 - housekeeping, 33-98
 - information management, 33-12
 - inorganic chemical addition, 33-15
 - laboratory control, 33-97
 - mechanical, 14-6, 33-54

- operating principles, 33-12
- organic flocculants, 33-16
- performance optimization, 33-31
- polymers, 33-16, 33-33
- pressure filters, 33-81
- preventive maintenance, 33-95
- safety, 33-98
- vacuum filters, 33-81
- Diaphragm bulb system, 7-21
- Diaphragm filter press, 33-85
- Diaphragm pumps, 8-47, 8-56, 9-41
- Differential control, 7-43
- Differential head flow meters, 7-11
- Differential pressure transmitters, 7-16, 7-18
- Diffused aeration, 20-32, 20-80, 20-108
- Diffused air systems, 20-19
- Diffuser density, 20-81
- Diffusers, 13-19, 20-32, 20-184
- Digester gas, 30-37
- Digester gas, safety, 30-51
- Digester performance, 20-177
- Digesters, odors, 30-17
- Digestion, 2-14
 - aerobic, 31-1
 - anaerobic, 30-1 –30-79
 - chemical addition, 25-44, 25-45
- Digital signal transmission, 7-38
- Dioxin, 28-10
- Direct current, 10-3
- Discharge check valve test, 8-79
- Discharge monitoring reports, 6-17
- Discharge of hazardous wastes, 4-25
- Discipline, personnel, 3-19
- Discontinuous control, 7-43
- Discrete process tracking, 14-20
- Disinfection, 2-12, 13-21, 14-6
 - byproducts, 26-6, 26-20, 26-52
 - chemical addition, 25-43
 - mechanism, 26-7, 26-17
- Dispersion coefficient, 26-12
- Dispersion index, 26-11
- Disposal options, 27-10
- Dissolved air flotation systems, 13-22, 14-5, 19-42, 20-128
- Dissolved air flotation thickening, 29-23
 - equipment, 29-29
 - operating data, 29-33, 29-34

- performance, 29-32
- preventive maintenance, 29-36
- process control, 29-32
- process description, 29-23
- safety, 29-38
- sampling and testing, 29-36
- saturation system, 29-29
- shutdown, 29-35
- start-up, 29-35
- troubleshooting, 29-36, 29-37
- Dissolved oxygen, 7-28, 17-9, 20-5, 20-9, 20-10, 20-42, 20-46, 20-52, 20-56, 20-77, 20-124, 20-135, 20-142, 20-144, 20-175, 20-184
 - control, 20-88
 - fixed-film reactors, 21-6
- Dissolved solids, 17-15
- Distributed control system, 20-67
- Distribution rates, trickling filters/biotowers, 21-19
- Distribution systems, trickling filters/biotowers, 21-13
- Diurnal variations, 24-29
- Diversification, 27-10
- Documents, 16-10
- Domestic sources, 17-3
- Dosage
 - calculations, 9-51
 - chemical addition, 25-37
- Double-suction pumps, 8-35
- Downflow carbon contactor, 24-53
- Downstream units, 19-7
- Draft tube mixing, anaerobic digesters, 30-25
- Drainage systems, 11-4
- Drives, rotating biological contactors, 21-40
- Dry chemical feeders, 9-43
 - equipment, 9-43
 - operational considerations, 9-45
- Dry-feed system, 9-44
- Drying beds, 27-5
- Drying, digester gas, 30-41
- Dry-pit pumps, 8-35
- Dual processes, 21-52
- Duplication, 16-27
- Dye testing, 25-14
- Dynamic pumps, 8-18

E

- Eclipse provisions, 16-14

- Economics, dewatering performance, 33-31
- Effective dose number, 13-11
- Effectiveness, 12-19
- Effects of polymers, 24-31
- Efficiency curves, 8-8
- Effluent discharge, 2-12
- Effluent quality and headloss, 24-30
- Effluent, 17-2
- Ejector hoppers, 18-19
- Electric bills, 10-41
- Electrical distribution systems, 10-7
 - cogeneration, 10-48
 - components, 10-11
 - energy audits, 10-47
 - energy cost reduction, 10-43
 - harmonics, 10-38
 - maintenance, 10-26
 - metering and billing, 10-41
 - power factor reduction, 10-48
 - relay coordination, 10-34
 - safety, 10-40
 - staffing, 10-38
 - training, 10-38
 - troubleshooting, 10-26, 10-33
 - typical layout, 10-8
- Electrical formulas, 10-6
- Electrical level measurement, 7-22
- Electrical surge testing, 12-17
- Electromotive force, 26-30
- Electronic pressure transmitters, 7-18
- Emergency lighting, 10-20
- Emergency operations, 3-25
- Emergency Planning and Community Right-to-Know Act, 5-5
- Emergency planning, 26-40
- Emergency power, 10-13
- Emergency response records, 6-36
- Employee transition plan, 15-8, 15-17
- Endogenous respiration, 20-7, 20-173
- Energy
 - audits, 10-47
 - charges, 10-41
 - conservation, 20-70, 20-72, 20-92, 20-94
 - consumption
 - chemical addition, 25-31
 - lighting, 10-45
 - motors, 10-44

- transformers, 10-44
- costs, 20-69
- costs, reduction, 10-43
- management, 6-28
- management plan, 20-91
- recovery, 27-10
- savings, aerobic digestion, 31-26
- Enforcement, 16-13
 - implementation, 4-20
 - mechanisms, 4-21
 - Response Guide, 4-20
 - Response Plan, 4-14, 4-20
 - tracking, 4-21
- Enhanced biological phosphorus removal, 22-38
 - biochemistry, 22-39
 - emerging processes, 22-44
- Enhanced primary treatment, 19-40
- Enhanced suspended solids removal, 24-65
- Enlarged first stage operation, rotating biological contactors, 21-46
- Entamoeba histolytica*, 5-18
- Enterococci, 17-13
- Environmental effects, chemical addition, 25-38, 25-39
- Environmental management systems, 2-8, 27-14
- EPCRA, 5-5
- Equations
 - amplitude of motion, 12-12
 - bearing life, 12-6
 - force on bearing, 12-12
 - permissible unbalance, 12-8
 - pump efficiency, 12-18
 - wrench torque, 12-11
- Equipment, 18-3, 19-10, 24-8
 - adjustable ramp, 29-43
 - aerobic digestion, 31-39
 - belt and supports, 29-40
 - belt drive, 29-41
 - belt tensioning, 29-40
 - belt tracking, 29-41
 - belt wash, 29-43
 - centrifuge thickening, 29-59, 29-63
 - centrifuge thickening, automation, 29-62
 - chicanes, 29-42
 - controls, 29-44
 - description, chlorination, 26-20
 - descriptions, 6-16
 - dissolved air flotation thickening, 29-29

- doctor blade, 29-43
- flocculation tank, 29-40
- gravity belt thickening, 29-40
- gravity thickening, 29-9
- listing, 24-36
- management, 6-31
- mechanical dewatering, 33-54
- polymer addition, 29-40
- process performance improvements, 25-7
- rotary drum thickening, 29-67
- rotating biological contactors, 21-38
- sludge pumping, 29-44
- spare parts, 19-35
- standard operating procedures, 14-11

Establishing legal authority, 4-13

Excavation safety, 5-37

Exceptional Quality biosolids, 27-5, 27-9

Exhausted carbon, 24-55

Exogenous carbon, 20-31

Explosive gases, 7-48

Exposure time, 26-11

Exposure, 13-9

External heating, digesters, 30-29

F

Facility personnel protection, 7-48

Facultative lagoons, 23-4

Facultative lagoons, process control, 23-11

Facultative organisms, 20-6

Failure, 16-6, 16-28

- analysis, 12-3
- data, 12-4
- mode, identification, 12-19

Fast Fourier transform, 12-12

Fats, oils, and grease, 17-20, 28-7

Fecal coliform bacteria, 17-13

Federal authority, 4-16

Feed rate, dewatering optimization, 33-32

Feedback control, 7-40

Feeders, electrical distribution system, 10-11

Feedforward control, 7-41

Fermentation, 19-38, 19-40, 19-40

Ferric chloride, 24-6

- chemical conditioning, 33-81
- dewatering, 33-15

- Ferric salts, chemical conditioning, 33-87
- Ferrous salts, 24-9
- Fiber optic transmission, 7-38
- Field calibration, 25-14
- Filamentous bulking, 20-13, 20-128, 20-A1, 20-D1
- Filamentous foaming, 20-126
- Filamentous organisms, 20-43, 20-46, 20-51, 20-103, 20-115, 20-123, 20-D1
- Filamentous organisms, absence, 20-130
- Fill-and-draw test, 25-15
- Filling the filter, 24-42
- Filter aids, 24-30, 24-41, 24-43
- Filter appurtenances, 24-42
- Filter backwash, 24-41, 24-44
- Filter media
 - rotating biological contactors, 21-39
 - trickling filters/biotowers, 21-16
- Filter press, dewatering, 33-81
- Filter pumping station, combined processes, 21-59
- Filtration, 24-6, 24-19, 24-27, 24-40
 - media, 24-7
 - planned maintenance program, 24-46
 - process description, 24-40
 - process control systems, 24-41
 - process monitoring, 24-42
 - troubleshooting, 24-46
- Final control elements, 7-5
- Financial information system, 6-7
- Financial planning, 3-31
- Financial reports, 6-36
- Financing, 15-13
- Fine screens, 18-8, 19-10, 19-41
- Fire detection system, 7-49
- Fire protection systems, 11-10
- Fire safety, 5-43
- Fiscal management, 3-7
- Five-day biochemical oxygen demand, 20-8
- Five-stage Bardenpho process, 22-44
- Fixed covers, digesters, 30-14
- Fixed solids, 17-16
- Fixed-film processes, 13-19
- Fixed-film processes, nitrogen removal, 22-37
- Fixed-film reactors, principles of, 21-4
- Fixed-growth systems, 20-54
- Fixed-volume sample, 17-25
- Flash dryers, process control, 32-30
- Flash drying, 32-24

- Floatable solids skimming, 19-21
- Floatables removal, 19-3, 19-7
- Floating covers, digesters, 30-15
- Floating sludge, 20-138
- Floats, 7-18
- Floc breakup, 24-15
- Floc, 20-46
- Flocculation, 20-31, 24-4, 24-14, 24-27
- Flocculation mixers, 24-16
- Flood protection, 11-18
- Flooding, 20-111
- Flotation thickeners, 29-29
- Flow equalization, 18-20
- Flow measurement, 7-9
 - data collection, 14-7
 - digester gas, 30-46
- Flow meters, 25-47
 - accuracy, 25-13, 25-51
 - full pipe, 25-49
 - installation concerns, 25-50
 - open channel, 25-47, 25-50
 - thickening, 29-4
 - troubleshooting, 25-50
- Flow patterns, trickling filters/biotowers, 21-19
- Flow quantification, data collection, 14-7
- Flow variations, 17-4
- Flow-proportional sampling, 4-19
- Flow-proportioned composite, 17-25
- Flowrate, 26-6
- Flowrate control, 24-41
- Flow-weighted average, 4-7
- Fluidized beds, nitrogen removal, 22-38
- Fluidized-bed incinerators, 32-32, 32-38
- Flumes, 7-9
- Fluorescent lights, 10-20
- Foam control, biological nutrient removal, 22-62
- Foam separation, digesters, 30-38
- Foaming, 20-45, 20-112, 20-186
 - anaerobic digesters, 30-69
 - biological nutrient removal, 22-19
 - filamentous, 20-126
- Fog, 7-20
- Food-processing wastes, 17-3
- Food-to-microorganism ratio, biological nutrient removal, 20-5, 20-39, 20-41, 20-75, 20-112, 20-122, 20-130, 22-16, 22-51
- Force mains, 13-15

Force on bearing equation, 12-5
Forestry, 27-8
Fouling, 20-81
Foundation mass, 12-9
Fourier series, 12-12
Four-Stage Bardenpho process, 22-30
Free available chlorine, 26-19
Free water, biosolids, 33-6
Frequency of checks, 24-37
Frequency spectrum, 12-12
Friction losses, 8-7
Fuel systems, 11-5
Full privatization, 15-3

G

Gamma radiation detectors, 7-36
Gas characteristics, digesters, 30-37
Gas chromatography, 13-12
Gas compression, digesters, 30-43
Gas detection, 7-46
Gas distribution, digesters, 30-50
Gas drying, digesters, 30-41
Gas evaporator, 9-35
Gas feeders, 9-24
 equipment, 9-24
 operational considerations, 9-38
Gas handling, digesters, 30-37
Gas holder covers, digesters, 30-15
Gas mixing, anaerobic digesters, 30-22
Gas storage, digesters, 30-45
Gas treatment, digesters, 30-38
Gas utilization, digesters, 30-47
Gas vacuum-feed system, 9-36
Gaseous chlorination, 26-20
Gaseous chlorine withdrawal rate, 26-19
General Pretreatment Regulations, 2-8, 4-5, 4-23
Geographic information system, 6-6
Germicidal energy transmission, 26-11
Germicidal energy, 26-5
Germicidal wavelengths, 26-7
Giardia lamblia, 5-18
Glass electrodes, 7-30
Glycol, 17-3
Goals, 14-17, 16-3
Grab samples, 4-19, 17-23, 24-35, 28-12

- Granular activated carbon, 24-51
- Granular media, 24-7
- Gravity belt thickening, 29-39
 - equipment, 29-40
 - adjustable ramp, 29-43
 - belt and supports, 29-40
 - belt drive, 29-41
 - belt tensioning, 29-40
 - belt tracking, 29-41
 - belt wash, 29-43
 - chicanes, 29-42
 - controls, 29-44
 - doctor blade, 29-43
 - flocculation tank, 29-40
 - polymer addition, 29-40
 - sludge pumping, 29-44
 - preventive maintenance, 29-50
 - process control, 29-45
 - belt speed, 29-46
 - belt tension, 29-47
 - belt type, 29-47
 - mixing energy, 29-46
 - polymer, 29-45
 - polymer dosage, 29-46
 - ramp angle, 29-47
 - retention time, 29-46
 - sludge characteristics, 29-48
 - sludge feed, 29-45
 - slurry pump selection, 29-47
 - upstream variables, 29-47
 - wash water characteristics, 29-48
 - process description, 29-39
 - safety, 29-56
 - sampling and testing, 29-50
 - shutdown, 29-49
 - start-up, 29-49
 - troubleshooting, 29-50, 29-52-29-57
- Gravity filter, 24-20
- Gravity sewers, 2-10, 13-14
- Gravity thickening, 13-22, 14-5, 29-5
 - equipment, 29-9
 - performance, 29-19
 - preventive maintenance, 29-20
 - process control, 29-13
 - process description, 29-7
 - safety, 29-22

- sampling, 29-16
- shutdown, 29-12
- start-up, 29-11
- troubleshooting, 29-16, 29-17

Grease traps, 17-20

Great Lakes Water Quality Agreement, 2-4

Grinding, 8-34, 8-67

- devices, 18-8
- pumps, 8-30, 8-54, 8-60
- thickening, 29-4

Grit chambers, 13-18, 18-12

Grit pumps, 8-53, 18-16

Grit removal, 14-4, 18-12, 19-42

- management practices, 18-19
- process control, 18-19
- troubleshooting, 18-19

Grit washing, 18-18

Grit, 28-6

Grounding, electrical distribution system, 10-25

Growth rate, nitrification, 22-23

H

Handling, 27-4

Harmonics, 10-6

Harmonics, electrical distribution system, 10-38

Hazard Communication Act, 2-7

Hazardous chemicals, 5-10

- common chemicals, 5-12
- control measures, 5-11
- elimination, 5-11
- engineering controls, 5-11
- National Fire Protection Association, 5-15, 5-18
- safety, 5-10
- storage guidelines, 5-12
- work practices, 5-11

Hazardous Communication Standard, 5-9

Hazardous compounds, 28-10

Hazardous condition instrumentation, 7-47

Hazards

- confined space, 5-24
- ventilation, 5-24

HAZCOM, 5-9

Head losses, 8-7

Head pressure level measurement, 7-20

Headloss, 24-30

- Headspace gases, 20-20
- Health concerns, 13-8
- Health protection, 32-38
 - composting, 32-14
 - heat drying, 32-31
 - lime stabilization, 32-18
 - thermal treatment, 32-24
- Heat drying, 2-15, 27-9
 - flash drying, 32-24
 - low-temperature, 32-24
 - multipass sludge dryer, 32-31
 - paddle dryer/processor, 32-31
 - process comparison, 32-41
 - process control, 32-29
 - process descriptions, 32-24
 - rotary kiln dryers, 32-27
 - safety/health, 32-31
- Heat recovery, digesters, 30-36
- Heat transfer, digesters, 30-34
- Heat treatment process, 32-19
- Heat treatment, process control, 32-21
- Heating, digesters, 30-27, 30-35
- Heating, steam injection, 30-35
- Heating/ventilating/air conditioning systems, 11-11, 11-13–11-15
- Heavy metal removal, 24-27
- Heavy metals, 2-6
- Hedonic tone, 13-10, 13-12
- Helix- or screw-type volumetric feeder, 9-46
- Helpful hints, 9-49
- Hepatitis, 5-19
- Heterodyning, 12-16
- High effluent turbidity, 24-40
- High solids concentration digestion, 30-8
- High-purity oxygen, 20-20
- High-purity-oxygen aerobic digestion, 31-7
- High-rate clarification, 24-5, 24-17
- High-rate filters, 21-11
- High-rate systems, 20-13
- High-resolution redox, 26-30
- Historical data collection, 17-23
- HIV, 5-20
- Holding times, 17-34
- Holding, 13-22
- Homogenization, 30-8
- Horizontal beds, composting, 32-5
- Horizontal pumps, 8-35

- Hose pumps, 8-52
- Hot water heating, digesters, 30-35
- Housekeeping, 19-24
- Housekeeping, dewatering, 33-98
- Human Immunodeficiency Virus, 5-20
- Human resources management system, 6-7
- Hydraulic capacity, 25-16
 - analysis, 25-16
 - bottlenecks, 25-17
 - exceedance indicators, 25-17
 - flow splitting imbalances, 25-18
 - modeling, 25-18
- Hydraulic characteristics, 26-11
- Hydraulic considerations, 19-21
- Hydraulic load cell, 7-25
- Hydraulic loading, 19-4
 - belt filter press, 33-65
 - dewatering centrifuge, 33-74
 - rotating biological contactors, 21-36
 - trickling filters/biotowers, 21-9
- Hydraulic loading rate, centrifuge thickening, 29-65
- Hydraulic overload, 20-118
- Hydraulic retention time, 19-5, 20-5, 20-31
- Hydraulic retention time, biological nutrient removal, 22-20, 22-52
- Hydraulic surging, 20-111
- Hydraulic transmission systems, 7-38
- Hydrogen peroxide, 13-9, 26-38, 26-52
 - 25-23, 25-56
 - testing, data analysis and calculations, 25-58
- Hydrogen sulfide, 7-48, 13-5, 13-9, 13-25, 17-6, 17-20
- Hydrogen sulfide, digesters, 30-39
- Hydrolysis, 26-18

I

- Ice, 7-18
- Immunizations, 5-23
- Impeller fouling, 20-112
- Impeller housings, 8-38
- Impeller mixing, anaerobic digesters, 30-21
- Impellers, 8-31
- Inactive protozoa, 20-133
- Incandescent lights, 10-19
- Incineration, 2-15, 13-24, 27-5, 27-9
 - air requirements, 32-36
 - dewatering optimization, 32-35

- fluidized-bed incinerators, 32-32
- fluidized-bed operation, 32-38
- fuel value, 32-36
- heat recovery, 32-36
- multiple-hearth incinerators, 32-32, 32-36
- process comparison, 32-41
- process control, 32-35
- process descriptions, 32-31
- safety/health, 32-38
- troubleshooting, 32-41
- Indicator bacteria, 17-12, 26-31
- Indicator organisms, 17-13, 28-11
- Indirect costs, 15-10
- Indirect discharge, 4-5
- Indoles, 13-5
- Induced vortex pumps, 8-31
- Industrial contribution, 19-6
- Industrial discharges, 4-18, 13-14
- Industrial pretreatment program, 2-6, 2-8
- Industrial sources, 17-3
- Industrial survey, 4-17
- Industrial users
 - data, 4-21
 - identification, 4-17
 - pretreatment program, 4-23
 - recordkeeping requirements, 4-26
- Industrial waste management records, 6-26
- Industrial waste, 20-146
- Industrial wastewater
 - characteristics, 4-27
 - pretreatment, 4-26, 4-27
- Inert support media, 20-21
- Infiltration and inflow, 2-10, 17-4, 20-18, 20-118
- Influent flow measurement, 20-147
- Influent, 17-2
- Information and automation technologies, 3-33
- Information management, dewatering, 33-12
- Information technology
 - acquisition, 6-11
 - governance, 6-10
 - implementation, 6-11
 - support services, 6-12
 - system maintenance, 6-13
 - training, 6-13
- Infrared thermography, 12-15
- Initial settling velocity, 20-120

Inlet check valve test, 8-79
In-line diffuser, 24-11
Inorganic chemical addition, 33-9, 33-15
Inorganic chemical conditioning, 33-81, 33-87
Inorganic media, 13-37
Input devices, 7-4
Inside-the-fence operations, 15-6
Inspection of industrial facilities, 4-18
Inspections, 27-14
Instrumentation, 7-3, 24-29
 error, 7-8
 location, 7-8
 maintenance, 7-51
 power, 10-24
 redundant, 25-15
 rotating biological contactors, 21-43
Instrumentation, Systems, and Automation Society, 7-52
Insurance coverage, 6-34
Integrated fixed-film activated sludge process, nitrogen removal, 22-38
Integrated sampling, 28-12
Intended Use Plan, 2-4
Intermediate-rate filters, 21-11
Internal heating, digesters, 30-29
Internal mixed-liquor recirculation, 20-76
International Water Association, 20-65
Interstitial water, biosolids, 33-7
Interval based training, 16-18, 16-27
Intrusion detection, 7-50
Inventory management, 3-38, 6-33
Inversion conditions, 13-44
In-vessel composting, 32-5
Ion exchange, 24-57, 24-61, 24-63
Ion-selective electrodes, 7-28
Iron concentration, 26-12
Iron salts, 13-29
ISO 14001, 27-14
ISO 1940-1, 12-8
Issue dates, 16-12

J

Jar test, 24-25, 24-28
Johannesburg process, 22-44

K

Kilovar generator, capacitors, 10-24
Kinetic pumps, 8-18
Kjeldahl nitrogen, 20-30, 20-76
Kjeldahl nitrogen analysis, 17-19

L

Labor relations, 15-7

Laboratory

- control, dewatering, 33-97
- facilities, 20-150
- process control, 14-19
- records, 6-23
- safety, 5-41

Laboratory information management system, 6-6

Ladders, safety, 5-39

Lagoons

- aerated, 23-5
- aerobic, 23-4
- anaerobic, 23-4
- chemical addition, 25-44
- data collection, 23-13
- design parameters, 23-6
- facultative, 23-4
- maintenance, 23-18
- mixing, 23-10
- nitrogen removal, 22-37
- physical configuration, 23-5
- polishing, 23-3
- process control, 23-8
- process descriptions, 23-2
- solids accumulation, 23-11
- system start-up, 23-6
- tertiary, 23-3
- troubleshooting, 23-13
- unaerated, 23-4

Lamellar settlers, 24-18

Lamp

- aging, 26-12
- configuration, 26-11
- output, 26-14

Lance mixing, anaerobic digesters, 30-22

Land application, 13-24, 27-6, 28-4

Land application, aerobic digestion, 31-48

Land reclamation, 27-8

Land treatment

- crops, 23-34
- data collection, 23-38
- groundwater monitoring, 23-38
- maintenance, 23-43
- overland flow, 23-32
- process control, 23-33
- process descriptions, 23-26
- rapid infiltration, 23-32
- slow-rate, 23-29
- soil monitoring, 23-38
- troubleshooting, 23-42
- vegetation monitoring, 23-38
- wastewater application, 23-36
- wastewater monitoring, 23-38
- Landfill disposal, 28-4
- Legal requirements, 17-22
- Leptospirosis, 5-21
- Level measurement, 7-18
- Level-sensing devices, 18- 7
- Liability, 15-19
- Library, 3-25
- Life-cycle cost analysis, 15-3, 15-10
- Lift stations, 2-10
- Lifting, safety, 5-41
- Lighting, 10-19, 10-20
 - controls, 10-19
 - emergency, 10-20
 - energy cost reduction, 10-45
 - intensity, 10-19
 - panels, 10-18
- Lightning protection, 11-16
- Lime addition
 - dewatering, 33-9
 - process performance, 25-42
- Lime recalcining, 24-51
- Lime stabilization, 27-5
 - process comparison, 32-41
 - process control, 32-18
 - process descriptions, 32-16
 - propriety processes, 32-17
 - safety/health, 32-18
 - troubleshooting, 32-18
- Lime, 20-126, 20-C1, 24-8, 24-25, 27-4, 28-11
- Lime, chemical conditioning, 33-81, 33-87
- Line graphs, 14-28
- Line of best fit, linear regression, 14-33–14-35

- Linear regression, line of best fit, 14-33–14-35
- Liquid feeders, 9-38
 - equipment, 9-39
 - operational considerations, 9-42
- Liquid hypochlorination, 26-35
- Liquid treatment, 2-9, 13-16, 13-39
- Liquids pumping, 8-28
- Load variations, fixed-film reactors, 21-4
- Loading rates, 20-12
- Local limits, 4-7
- Local manual control, 7-6
- Local ordinances, 27-11
- Lockout/tagout, 5-46
- Loop controllers, 20-66
- Low pressure—high intensity lamps, 26-12
- Low pressure—low intensity lamps, 26-12
- Low-rate filters, 21-10
- Low-rate systems, 20-12
- Low-temperature heat drying, 32-24
- Low-velocity screens, 8-38
- Lubrication, 12-14
- Ludzack-Ettinger process, 20-24, 22-29
- Lysis, 20-173

M

- Machine installation fundamentals, 12-4
- Machine safety, 5-45
- Magnetic flow meters, 7-11
- Magnetic proximity sensors, 7-27
- Maintenance, 7-51, 19-28, 19-33, 20-11, 20-91, 20-187
 - aerobic digestion, 31-64
 - belt filter press, 33-70
 - Best Practices, 12-2
 - checks, 24-37
 - combined processes, 21-62
 - compressors, 11-8
 - contracts, 7-53
 - corrective, 3-38
 - costs, 6-34
 - electrical distribution system, 10-26
 - emergency, 19-35
 - fund, 15-18
 - heating/ventilating/air conditioning systems, 11-16
 - in-plant utilities, 11-2
 - inventory management, 3-38

- lagoons, 23-18
- Maintenance, land treatment, 23-43
- management, 3-36, 3-37
- measurement, 12-23
- overland flow land treatment, 23-49
- predictive, 3-38
- pressure filter, 33-93
- preventive, 3-38, 19-32
- pumps, 8-20, 8-24
- rapid infiltration land treatment, 23-49
- reliability centered, 3-39
- reports, 14-8
- rotating biological contactors, 21-48
- schedule, 6-32
- slow-rate land treatment, 23-45
- Managed competition, 15-11
- Management information systems, 6-3
- Management, 3-1, 27-6
 - benchmarking and peer review, 3-30
 - emergency operations, 3-25
 - personnel, 3-13
 - practices, 18-11
 - public communications, 3-21
 - reporting and recordkeeping, 3-23
 - software, 16-10
- Manipulated variable, 7-40
- Manual cleaning, 18-8
- Manual control, 7-40
- Manufacturers' literature, 6-16
- Masking agents, 13-32
- Mass balances, 14-24
- Mass flow meters, 7-14
- Mass flow, 7-14
- Mass spectrometry, 13-12
- Material safety data sheet, 2-7, 5-9, 17-40, 26-20, 26-40
- Materials of construction, 9-22
- Maximum allowable headworks loading, 4-12
- Maximum growth rate, 22-23
- Mean cell residence time, 20-5, 20-10, 20-12, 20-31, 20-39, 20-45, 20-49, 20-51, 20-53, 20-56, 20-58, 20-78
- Mean cell residence time, biological nutrient removal, 22-14, 22-47
- Measurements, process control, 14-19
- Measuring performance, 12-21
- Mechanical aeration, 20-33, 20-108
- Mechanical bar screen pumping station, 14-9
- Mechanical cleaning, 18-4

- Mechanical dewatering, 14-6, 33-54
 - dewatered solids conveyance, 33-58
 - equipment capability, 33-55
 - feed-pump considerations, 33-57
 - installation considerations, 33-55
 - polymer dosage, 33-62
 - process additives, 33-59,
 - process calculations, 33-59
- Mechanical drives, rotating biological contactors, 21-50
- Mechanical drying methods, 27-5
- Mechanical flow meters, 7-11
- Mechanical mixers, 24-15
- Mechanical mixing, anaerobic digesters, 30-19
- Mechanical pressure gauges, 7-16
- Mechanical pump seals, 8-18
- Media expansion and suspension, 24-33
- Megohm test, 12-17
- Membrane bioreactor, 20-48
- Membrane bioreactors, nitrogen removal, 22-34
- Membrane covers, digesters, 30-16
- Membrane filtration, 2-11
- Mercaptans, 13-5
- Merchant facility, 15-4
- Mesophilic aerobic digestion, 31-12
- Mesophilic digestion, 30-4
- Metabolic processes, 20-6
 - respiration, 20-6
 - synthesis, 20-6
- Metal salts, 24-9
- Metals, 28-10
- Metering pumps, 8-73
- Methane, 17-6
- Microbiological hazards, 5-15
 - aerosols, 5-21
 - Hepatitis, 5-19
 - HIV, 5-20
 - Leptospirosis, 5-21
 - parasites, 5-16
 - SARS, 5-20
- Microorganisms, fixed-film reactors, 21-7
- Microprocessors, 7-6
- Microscopic examination, 17-14, 20-103
- Microthrix parvicella*, 20-47, 20-126
- MIL-STD-167-1 (U.S. Navy), 12-7
- Minor head losses, 8-7
- Miscellaneous principles, 12-9

- Mixed digestion, 30-18
- Mixed liquor respiration rate, 20-104
- Mixed liquor settleability, 20-101, 20-117, 20-125
- Mixed liquor suspended solids, 17-17, 20-3, 20-8, 20-31, 20-34, 20-40, 20-41, 20-43, 20-62, 20-103, 20-112, 20-122, 24-30, 28-8
- Mixed liquor volatile suspended solids, 20-3, 20-39
- Mixed residuals, 28-4
- Mixed-flow impellers, 8-31
- Mixing, 20-34
 - anaerobic digesters, 30-25
 - digesters, 30-17
 - efficiency, dechlorination, 26-42
 - systems, composting, 32-9
- Modeling, hydraulic, 25-16, 25-18
- Modeling, oxygen-transfer capacity, 25-25
- Modifications, 20-50
- Modified Ludzack–Ettinger process, 22-29
- Modified University of Capetown process, 22-42
- Moisture content, 28-9
- Moisture control, composting, 32-11
- Moisture, digesters, 30-41
- Monitoring, 13-41
 - anaerobic digestion, 30-62
 - equipment, 20-88, 20-F1
 - industrial users, 4-17
 - information technology, 6-13
- Monthly reports, 6-23
- Motors, 10-16
 - control center, 10-15
 - current signature analysis, 12-17
 - energy cost reduction, 10-44
 - power, 8-9
 - power efficiency, 8-8
- MSDS, 5-9
- Multipass sludge dryer, 32-31
- Multiple-hearth incinerators, 32-32, 32-38
- Multiple-sludge denitrification, 20-30
- Multiple-sludge nitrification, 20-30
- Multiple-sludge systems, 20-30
- Multistage digestion, 30-6

N

- National Association of Clean Water Agencies, 27-14
- National Biosolids Partnership, 27-13
- National Fire Protection Association, 5-12, 5-18

National Pollutant Discharge Elimination System, 2-3, 4-2, 17-3, 17-22, 24-35
 National Pretreatment Program, 4-3, 4-7, 4-16, 4-23
 National Research Council, 2-5
 Natural processes

- lagoons, 23-2
- land treatment, 23-26

 Nephelometers, 7-33, 17-6
 Nephelometric turbidity units, 24-27
 Net positive suction head, 8-8, 8-13
 NFPA, 5-12, 5-18
 Nitrate concentration, 20-144
 Nitrate, 7-32, 13-30, 17-18
 Nitrification, 17-12, 20-9, 20-21, 20-23, 20-55, 20-75, 20-126, 20-140, 20-143, 22-22

- biochemistry, 22-22
- rotating biological contactors, 21-47
- two-stage, 20-56

 Nitrification and denitrification, aerobic digestion, 31-22, 31-23
 Nitrifying bacteria, 20-55
 Nitrite, 7-32, 17-18
 Nitrogen removal planned maintenance program, 24-64
 Nitrogen removal processes, 22-28, 24-57

- aerobic-anoxic operation, 31-27
- anoxic step-feed, 22-32
- combined fixed-film/suspended growth, 22-37
- deep-bed filters, 22-38
- description, 24-60
- fixed-film processes, 22-37
- fluidized beds, 22-38
- four-stage Bardenpho, 22-30
- integrated fixed-film activated sludge, 22-38
- lagoons, 22-37
- Ludzack–Ettinger, 22-29
- membrane bioreactors, 22-34
- Modified Ludzack–Ettinger, 22-29
- oxidation ditches, 22-34
- sequencing batch reactors, 22-34

 Nitrogen trichloride, 24-63
 Nitrogen, 2-11, 17-18, 20-143, 28-9
 Nitrogen-based polymers, 27-4
 Nitrogenous biochemical oxygen demand, 20-49
Nocardia, 20-47, 20-115, 20-126
 No-effect concentration, 17-22
 Nonclog centrifugal pumps, 8-36
 Noncompliance notification, 4-25
 Noncontact frequency generators, 7-27
 Nonpoint sources, 2-5

- Nonpolar fats, oils, and greases, 17-20
- Nonpotable water systems, 11-2
- Nonpressurized tanks, 7-20
- Nonsettleable solids, 17-15
- Nonsubmersible pumps, 8-81
- Normal filtration process control, 24-42
- Normal recarbonation process control, 24-48
- Normal sedimentation process control, 24-38
- Nose, 13-5
- Notification of changed discharge, 4-25
- Notification of discharge of hazardous wastes, 4-25
- Notification of potential problems, 4-25
- Nuclear density meters, 7-36
- Nutrients, 28-10
 - balance, 20-A1
 - composting, 32-11
 - concentrations, 27-2
 - fixed-film reactors, 21-5

O

- Objectives, 16-12
- Occupational Safety and Health Act, 2-7
- Occupational Safety and Health Administration, 5-3
- Odor, 13-4, 17-5, 20-185, 27-13
 - characterization, 13-10, 13-12
 - concentration, 13-11
 - control methods, 13-25, 18-20, 19-23
 - composting, 32-14
 - dewatering, 33-16
 - digesters, 30-17
 - dispersion, 13-10
 - generation, 13-5, 13-13
 - intensity, 13-11
 - measurement, 13-10
 - modification, 13-32
 - neutralization, 13-32
 - panels, 13-10
 - perception, 13-4
 - release, 13-13
 - thresholds, 13-11
- Odorgram, 13-13
- Offgas analysis, 25-23, 25-52, 25-53
- Offgas analysis, data analysis and calculations, 25-54
- Offgas sampling, 17-39
- Olfactometer, 13-11

- Olfactory process, 13-4
- Online analyzers, 17-29
- On-off control, 7-43
- Open channel flow meters, 7-18, 25-47, 25-50
- Open culture, 20-4
- Open impellers, 8-32
- Open loop control, 7-40
- Operations
 - control, 13-27
 - data, dissolved air flotation units, 29-33, 29-34
 - dewatering centrifuge, 33-76
 - liability, 15-19
 - manual, 16-15
 - problems and solutions, 19-28, 20-106
 - procedures, 14-9
 - records, 6-22
 - vacuum filter, 33-93
- Operations and maintenance, 3-6, 3-10, 6-15
- Operator strategies, 13-38
- Optical proximity sensors, 7-28
- Optimizing filter run time, 24-30
- Ordination, 16-14
- Organic constituents, 28-10
- Organic flocculants, 33-16
- Organic loading
 - rotating biological contactors, 21-36
 - trickling filters/biotowers, 21-8
- Organization, 16-2
- Organizational structures, 3-11
- Orthophosphate, 17-19
- OSHA, 5-3
 - 300 logs, 5-53, 5-59–5-61
 - Hazardous Communication Standard, 5-9
- Outside-the-fence operations, 15-6
- Outsourcing, 3-35, 15-1, 27-12
 - advantages, 15-7
 - economics, 15-9
 - functional activities, 15-5
- Overland flow land treatment, 23-32, 23-49
- Overload conditions, anaerobic digesters, 30-64
- Oversight mechanisms, 4-14
- Owner participation, 15-20
- Oxidation ditch, 20-24
- Oxidation ditch, 20-15, 20-50
 - nitrogen removal, 22-34
 - phosphorus removal, 22-46

Oxidation–reduction potential, 7-30, 17-9, 26-30
Oxidation–reduction potential, biological nutrient removal, 22-58
Oxygen
 concentration, 13-26
 consumption, 20-62
 deficiency, 7-48
 demand, 7-31, 20-9, 25-27
 requirements, biological nutrient removal, 22-53
 separation devices, 20-21
 transfer, 20-8
 aeration electrical efficiency, 25-24
 capacity, empirical equations/modeling, 25-25, 25-27
 determining, 25-23
 devices, 20-32, 20-34
 effects on, 25-22
 efficiency, 20-75, 20-80
 tests, 25-21, 25-23, 25-24, 25-61
 uptake rates, 20-175, 20-181
Ozonation, 2-12, 26-42
 equipment description, 26-43
 shutdown, 26-46
 start-up, 26-46
Ozone, 13-30

P

Packing, 8-18
Paddle dryer/processor, 32-31
Page party system, 7-50
Paint filter-liquids test, 18-11, 18-22
Parasites, 5-16, 26-3
 Cryptosporidium, 5-18
 Entamoeba histolytica, 5-16
 Giardia lamblia, 5-18
Pasteurization, 30-7

Pathogens, 17-13, 26-3, 26-31, 28-2, 28-5
 reduction, 30-9, 20-182
 reduction, aerobic digestion, 31-51
Paved beds, 33-47
Paved beds, troubleshooting, 33-51
Payment schedule, 15-18
Peak power, 20-87
Peer guided instruction, 16-18
Pelletizing, 27-9
Penalties, 16-13

- Peracetic acid, 26-52
- Performance
 - appraisals, 3-19
 - bond, 15-19
 - dewatering centrifuge, 33-75
 - expectations, 19-16
 - optimization, dewatering, 33-31
- Periodic compliance report, 4-24, 4-26
- Peripheral/regenerative turbine pumps, 8-28
- Peripherals, 12-9
- Permissible unbalance equation, 12-8
- Permit compliance, 2-2
- Permit requirements, 24-35
- Permits, 27-11, 15-14
- Permits, confined spaces, 5-28, 5-31
- Personal computers, 7-6
- Personal productivity applications, 6-8
- Personnel
 - management, 3-13
 - protection instrumentation, 7-46
 - training, 6-35, 7-52
- Pesticides and polychlorinated biphenyls, 2-6
- pH, 7-30, 17-11, 19-26
 - adjustment, 24-8, 24-19
 - anaerobic digestion, 30-63
 - biological nutrient removal, 22-19, 22-56
 - control, anaerobic digesters, 30-65
 - fixed-film reactors, 21-5
- Phased power, 10-3
- Phoredox process, 20-27
- Phosphate-storing organisms, 20-11
- Phosphorus, 2-11, 17-19, 20-58, 20-140
 - loading, 24-29
 - reduction, 24-25
 - reduction, aerobic-anoxic operation, 31-29
 - removal, 20-11, 24-4, 24-65
- Phosphorus-accumulating organisms, 17-20, 20-58
- PhoStrip™ II process, 20-29
- PhoStrip™ process, 20-26
- PhoStrip process, phosphorus removal, 22-46
- Phototrophs, 20-5
- Physical characteristics, 17-4
- Physical parameters, 7-4
- Physical plant records, 6-14
- Physical properties, 28-8
- Physical-chemical analyzers, 7-28

- Physical–chemical treatment, 2-11
- Picture procedures, 16-17
- Pie charts, 14-31
- Pilot valve test, 8-80
- Pinpoint floc, 20-137
- Piping, 9-21
 - configuration, 12-9
 - maintenance, 8-84
 - pumping stations, 8-81
 - rotating biological contactors, 21-43
 - stain, 12-9
- Piston pumps, 8-47, 8-56
- Piston valve test, 8-80
- Pitfalls, 16-27
- Planned maintenance, 24-36
 - combined processes, 21-62
 - rotating biological contactors, 21-48
 - trickling filters/biotowers, 21-28
 - sedimentation, 24-39
- Planning information technology, 6-11
- Planning, 14-17
- Plant layout, 20-147
- Plug-flow reactors, 20-52
- Plug-flow system, 20-14
- Plug-flow valve, 26-12
- Plunger pumps, 8-45, 8-56, 8-61
- Pneumatic ejector pumps, 8-53
- Pneumatic ejectors, 8-77
- Pneumatic pressure transmitters, 7-17
- Pneumatic transmission systems, 7-38
- Polar fats, oils, and greases, 17-20
- Policy, 16-11
- Polishing lagoons, 23-3
- Pollutant exposure, 13-9
- Pollutants of concern, 4-8, 4-11
- Polymers, 24-10, 28-11
 - active content, 33-26
 - addition
 - gravity belt thickening, 29-40
 - process performance, 25-41
 - thickening, 29-5
 - dosage, gravity belt thickening, 29-46
 - belt filter press, 33-65
 - characteristics, 33-19
 - charge density, 33-20, 33-26
 - conditioning, 33-29

- degradation, 33-29
- dewatering centrifuge, 33-74
- dewatering optimization, 33-31
- dewatering selection, 33-33
- dose, centrifuge thickening, 29-65
- dry polyacrylamide, 33-22, 33-28
- electronic charge, 33-20
- emulsion polyacrylamide, 33-23, 33-28
- evaluation/selection, 33-35,
- feed rate, rotary drum thickening, 29-70
- handling, 24-31
- gravity belt thickening, 29-45
- make-down system, 33-27
- molecular weight, 33-21
- quality control, 33-25
- safety, 33-25
- solution polyacrylamide, 33-24
- specifications, 33-25
- viscosity, 33-27
- Poor supervision, 16-23
- Portable equipment, 7-47
- Positive-displacement pumps, 8-18, 8-45
- Postdenitrification process, 20-24
- Post-precipitation, 24-66
- Potable water systems, 11-2, 26-42
- Potassium permanganate, 13-30
- Powdered activated carbon, 20-54
- Power factor, 10-3
 - charges, 10-42
 - correction, 10-48
- Power generation, digester gas, 30-49
- Power system protection, 10-26
- Predictive maintenance, 3-38, 6-29
 - electrical distribution system, 10-27
 - pumps, 8-26, 8-42, 8-62
- Preliminary treatment, 2-10, 13-17
- Pre-precipitation, 24-66
- Preservation, 17-34
- Pressure filters, 24-21, 33-18
 - maintenance, 33-93
 - process variables, 33-88
 - safety, 33-92
 - startup/shutdown, 33-90
 - troubleshooting, 33-90
- Pressure
 - measurement, 7-15

- process control, 33-89
- Prethickening, aerobic digestion, 31-12
- Pretreatment, 27-3
 - anaerobic digestion processes, 30-6
 - Compliance Inspection, 4-14
 - considerations, 18-20
 - program reports, 6-18
 - program responsibilities, 4-13
 - recordkeeping, 4-22
 - reporting, 4-22
 - sampling, 4-19
- Preventive maintenance, 3-38, 7-51, 12-2, 12-18, 19-32, 26-10
 - centrifuge thickening, 29-67
 - chlorination, 26-33
 - dechlorination, 26-42
 - dewatering equipment, 33-95
 - dissolved air flotation thickening, 29-36
 - electrical distribution system, 10-27
 - gravity belt thickening, 29-50
 - gravity thickening, 29-20
 - liquid hypochlorination, 26-36
 - ozonation, 26-50
 - records, 6-28
 - rotary drum thickening, 29-72
 - ultraviolet disinfection, 26-16
- Primary clarification, 13-18, 14-4
 - lime addition, 25-42
 - polymer addition, 25-41
- Primary residuals, 28-2
- Primary sludge fermentation, 19-38
- Primary treatment, 2-11, 19-42
 - alternative methods, 19-39
 - chemical addition, 25-40
- Priority pollutants, 2-6, 4-7, 4-10, 17-21
- Privatization, 3-35
- Proactive maintenance, 12-3
- Process and instrumentation diagrams, 14-23
- Process capacity diagram, 25-12
- Process control, 14-16, 14-19, 18-7, 19-17, 19-25
 - data, 14-8
 - aerobic digestion, 31-57
 - biological nutrient removal, 22-47,
 - centrifuge thickening, 29-64
 - chlorination, 26-27
 - combined processes, 21-61
 - communications, 14-19

- composting, 32-11
- data evaluation, 14-27
- dewatering centrifuge, 33-79
- discrete process tracking, 14-20
- dissolved air flotation thickening, 29-32
- flash dryers, 32-30
- gravity belt thickening, 29-45
- gravity thickening, 29-13
- heat drying, 32-29
- heat treatment, 32-21
- incineration, 32-35
- information gathering, 14-22
- laboratory, 14-19
- lagoons, 23-8
- land treatment, 23-33
- lime stabilization, 32-18
- mass balances, 14-27
- measurements, 14-19
- monitoring, 12-17
- pressure filter, 33-89
- primary clarifier plan, 14-18
- problem areas, 14-21
- reed beds, 33-50
- rotary drum thickening, 29-70
- rotary kiln dryers, 32-30
- rotating biological contactors, 21-43
- sampling, 17-38
- systems, 24-25
- thermal treatment, 32-21
- tools, 14-21
- trickling filters/biotowers, 21-19
- ultraviolet disinfection, 26-12
- wet air oxidation, 32-22
- Process efficiency, 20-31
- Process goals, 20-8
- Process modifications, combined processes, 21-61
- Process monitoring and control, 17-22
- Process optimization, belt filter press, 33-68
- Process performance, 20-60
- Process performance improvements, 25-1
- Process variations, 20-12
- Procurement process, 15-11
- Program development, 16-6
- Program elements, 16-7
- Programmable logic controllers, 7-6, 18-7, 20-66
- Programmable logic controllers, electrical distribution system, 10-23

- Progressing cavity pumps, 8-49, 8-57, 8-60, 8-61
- Prohibited discharges, 4-6
- Project financing, 15-20
- Project-based training, 16-4
- Propeller impeller, 8-33
- Propeller meters, 7-11
- Propeller pumps, 8-29
- Propionic acid, 20-26
- Proportional control, 7-43
- Proportional integral action, 7-44
- Proportional integral derivative controller, 7-45
- Protective relays, 10-13
- Protozoa
 - absence, 20-134
 - inactive, 20-133
- Proximity sensors, 7-27
- Public acceptance, 27-13
- Public communications, 3-21
- Public relations, 13-8
- Public/private partnerships, 15-2
- Publication of noncompliant list, 4-22
- Publicly owned treatment works reporting, 4-23
- Publicly owned treatment works, 2-8
- Public-private partnerships, 3-35
- Pumps, 16-12, 9-21
 - aerobic digestion, 31-45
 - affinity laws, 8-10
 - appurtenances, 8-21, 8-38, 8-58, 19-15, 19-20
 - categorization, 8-31, 8-56
 - classification, 8-17
 - control, 8-23, 8-41, 8-59, 20-89
 - efficiency equation, 12-18
 - efficiency, 8-8
 - equipment, 20-83, 20-187
 - fundamentals, 8-5
 - energy costs, 8-15
 - impeller diameter, 8-11
 - location, 8-35
 - maintenance, 8-20, 8-38, 8-41, 8-57
 - mixing systems, anaerobic digesters, 30-19
 - monitoring, 8-23, 8-40, 8-59
 - operation, 8-20, 8-38, 8-57
 - orientation, 8-35
 - performance curves, 8-8
 - performance, 8-8
 - primary effluent, 20-84

- recycle, 20-87
- rotational speed, 8-11
- return activated sludge, 20-85
- seals, 8-18
- shutdown, 8-22, 8-40, 8-59
- sludge, gravity belt thickening, 29-44
- solids, 19-19
- startup, 8-22, 8-40, 8-58
- testing procedures, 8-21, 8-38, 8-58
- thickening, 29-4
- troubleshooting, 8-43
- waste activated sludge, 20-86
- wear, 8-25, 8-41

Pumping stations, 8-80, 13-16

- maintenance, 8-84
- mechanical bar screen, 14-9

Q

- Qualification guides, 16-24, 16-27
- Quality assurance, 24-35, 28-13
- Quality control, 28-13
- Quality control, polymers, 33-25
- Quantitative testing, 13-12

R

- Radiation exposure, 26-14
- Rapid infiltration land treatment, 23-32
- Rapid infiltration land treatment, maintenance, 23-49
- Rapid mixing device, 24-11
- Rates, electric, 10-41
- Reactors
 - configuration, 20-13
 - design, 20-74
 - aerobic digestion, 31-39
- Reactors-in-series, 20-14
- Reasonability check, 7-51
- Recarbonation, 24-8, 24-19, 24-46
 - process control systems, 24-48
 - process description, 24-46
 - planned maintenance program, 24-50
 - troubleshooting, 24-50
- Recessed plate filter, 33-85
- Recessed-impeller centrifugal pumps, 8-51
- Reciprocating pumps, 8-45

- Recirculation, 20-35
- Recirculation, rotating biological contactors, 21-46
- Record drawings, 6-15
- Record preservation, 6-39
- Recordkeeping, 3-23, 3-25, 4-22, 7-51, 12-23, 14-15, 17-23, 17-38, 20-187, 27-13
- Recordkeeping, aerobic digestion, 31-65
- Records and reports, 18-22, 19-36
- Recruitment, 3-15
- Rectangular sedimentation tanks, 19-11–13
- Recycle flows, 18-21, 19-9
 - biological nutrient removal, 22-58
 - management, 19-22
- Recycle of backwash flows, 24-44
- Recycled solids, dewatering optimization, 33-32
- Redox potential, 17-9
- Reed beds, 33-45
- Reed beds, process control, 33-50
- Reference substance, 13-11
- Refractory organics, 24-50
- Regenerated carbon, 24-54
- Regulated industrial categories, 4-7
- Regulated wastewaters, 4-7
- Regulations, 27-14
 - aerobic digestion, 31-47
 - anaerobic digestion, 30-9
 - compliance, 3-35
 - confined spaces, 5-36
 - history, 4-3
 - safety, 5-5, 5-9
 - structure, 4-4
- Relating recordkeeping to operations, 6-28
- Relay coordination, 10-6
- Relay coordination, power system protection, 10-34
- Reliability centered maintenance, 3-39, 12-18
- Removal credits, 4-12
- Removal
 - floatables, 19-3, 19-7
 - settleable solids, 19-3, 19-4
 - solids, 19-18
- Repetition, 16-5, 16-27
- Report forms, accidents/injuries/illnesses, 5-53–5-58
- Report forms, safety, 5-52
- Reporting and recordkeeping, 3-23, 3-25
- Reporting for permit requirements, 24-35
- Reporting for process monitoring, 24-35
- Reporting requirements, 4-23

- Reporting requirements, industrial users, 4-25
- Reporting, 4-22
- Representative sampling, 17-29, 28-12
- Request for proposals, 15-10
- Request for qualifications, 15-11
- Required net positive suction head, 8-14
- Reset control action, 7-44
- Residence time test, 26-5
- Residual limits, 26-20
- Residuals management, 2-12
- Residuals management, chemical addition, 25-33
- Resistance temperature detectors, 7-23
- Respiration rate, 20-133
- Responsibilities, 16-14
- Retention and succession planning, 3-18
- Retrofitting, 20-83
- Return activated sludge, 20-4, 20-35, 20-38, 20-45, 20-57, 20-149, 28-2
- Return activated sludge, pumps, 20-35
- Return flows, biological nutrient removal, 22-19
- Return rate, 20-121
- Revision dates, 16-12,
- Rising sludge, 20-131
- Risk management, 9-4
- Risk management program reports, 6-20
- Roadways, 11-16
- Robert F. Mager, 16-29
- Root-cause failure analysis, 12-3
- Rotary drum screens, 18-9
- Rotary drum thickening, 29-67
 - equipment, 29-67
 - performance, 29-71, 29-73
 - preventive maintenance, 29-72
 - process control, 29-70
 - polymer feed rate, 29-70
 - pond depth, 29-71
 - sludge feed rate, 29-70
 - process description, 29-67
 - safety, 29-74
 - sampling, 29-71
 - shutdown, 29-69
 - start-up, 29-67
 - troubleshooting, 29-71, 29-72
- Rotary kiln dryers, 32-27
- Rotary kiln dryers, process control, 32-30
- Rotary lobe pumps, 8-50, 8-57, 8-61
- Rotating biological contactors

- equipment description, 21-38
- planned maintenance, 21-48
- process alternatives, 21-32
- process control, 21-43
- process description, 21-35
- troubleshooting, 21-48

Rotating drums, composting, 32-5

Rotating positive displacement pumps, 8-48, 8-57

Rotating pumps, 8-48

Rotifers, 20-105

Roughing filter–activated sludge process, 21-57

Roughing filters, 21-8, 21-12

Routine operations, ultraviolet disinfection, 26-14

Run-to-failure strategy, 12-2

S

Safety, 5-1, 9-3, 13-8, 17-39, 18-21, 19-36, 20-H1, 26-14, 26-20, 26-36

- accident reporting, 5-52
- belt filter press, 33-70
- bromine chloride, 26-52
- centrifuge thickening, 29-67
- chemical delivery, 5-14
- chemicals, 5-12, 5-13
- chlorine, 5-13
- composting, 32-14
- confined spaces, 5-23
- dewatering, 33-98
- digester gas, 30-50
- digester gas system, 30-47
- dissolved air flotation thickening, 29-38
- employee responsibilities, 5-62
- fire, 5-43
- gravity belt thickening, 29-56
- gravity thickening, 29-22
- hazardous chemicals, 5-10
- hazards, 5-24
- heat drying, 32-31
- high-voltage circuits, 10-40
- HIV, 5-20
- immunizations, 5-23
- incineration, 32-38
- laboratory, 5-41
- ladders, 5-39
- lifting, 5-41
- lime addition, 33-11

- lime stabilization, 32-18
- lockout/tagout, 5-46
- machines, 5-45
- management responsibilities, 5-62
- microbiological hazards, 5-15
- MSDS, 5-9
- National Fire Protection Association, 5-12, 5-15
- ozonation, 26-47
- personal hygiene, 5-21
- plant design, 5-51
- polymers, 33-25
- precautions, 5-26
- pressure filter, 33-92
- program, confined spaces, 5-29
- programs, 5-53
- regulations, 5-3, 5-5, 5-9
- rotary drum thickening, 29-74
- SARS, 5-20
- standards, 5-12
- symbols, 5-18
- thermal treatment, 32-24
- traffic, 5-48, 5-49
- training, 5-63, 16-4, 16-8
- trenching and excavation, 5-37
- trickling filters/biotowers, 21-28
- Uniform Fire Code, 5-12
- ventilation hazards, 5-24

Samples

- analysis, 24-34
- collection, 28-12
- handling, 17-34
- parameters, 17-23
- storage, 28-13
- temperature, 17-29
- types, 24-34
- volume, 17-33

Sampling, 14-7, 17-22, 18-22, 28-11

- centrifuge thickening, 29-66
- dissolved air flotation thickening, 29-36
- equipment, 17-27
- locations, 17-30
- gravity belt thickening, 29-50
- gravity thickening, 29-16
- methods, 13-10
- rotary drum thickening, 29-71

Sand beds, 33-46

- Sand beds, troubleshooting, 33-51
- Sanitary sewers, 2-10
- SARA, 5-5
- SARS, 5-20
- Saturation systems, dissolved air flotation thickening, 29-29
- SCADA, 3-33
- Scatter graphs, 14-31, 14-32
- Scattered light, 7-33
- Scattershot, 16-27
- Scheduling, aerobic digestion, 31-65
- scraper arms, 19-14
- Screening, 14-4, 19-10, 19-41, 28-5
 - cleaning, 18-4
 - composting, 32-10
 - debris, 18-3
 - disposal, 18-3, 18-11
 - presses, 18-9
 - process, 18-22
- Screw lift pumps, 8-29
- Scum, 28-7
- Scum control, digesters, 30-58
- Seal water, 8-18
- Seasonal sample volume, 17-26
- Secchi disk, 20-F3
- Secondary clarification, 14-5, 13-20
- Secondary clarification, biological nutrient removal, 22-60
- Secondary digesters, 30-13
- Secondary residuals, 28-2
- Secondary sludge odors, 13-20
- Secondary treatment, 2-11, 13-19, 17-16, 20-49
- Secondary treatment, chemical addition, 25-41
- Security, 7-48
 - card access, 7-49
 - information technology, 6-13
- Sediment removal, digesters, 30-38
- Sedimentation, 24-5, 24-15, 24-37
 - data collection, 24-39
 - process, 24-38
 - process control systems, 24-37
 - process description, 24-37
 - tanks, 19-10, 24-37
 - circular, 19-11, 19-13–19-15
 - rectangular, 19-11–19-13
 - scraper arms, 19-14
 - square, 19-15
 - troubleshooting, 24-40

- Seepage, 8-43
- Selectors, 20-19, 20-51
- Self-contained breathing apparatus, 26-20, 26-40
- Self-monitoring requirements, 4-26
- Semicontinuous filters, 24-40
- Semi-open impellers, 8-32
- Semivolatile organic compounds, 2-6
- Sensors, 7-4
- Sensory analysis, 13-10
- Septage, 20-146, 28-11
 - disposal, 13-16
 - management, 18-20
- Sequencing batch reactors, 20-15, 20-26, 20-29, 20-59
 - nitrogen removal, 22-34
 - phosphorus removal, 22-45
- Series processes, 21-52
- Service
 - analysis, 15-11
 - delivery industry, 15-4
 - levels, 15-10
- Service transformers, 10-13
- Setpoint, 7-40
- Settleability, 20-45
- Settleable solids, 17-15, 19-25
- settleable solids removal, 19-3, 19-4
- Settled sludge volume test, 17-17
- Settleometer, 17-17
- Settling, 24-4
 - basin, 24-5, 24-37
 - characteristics, 17-17
 - tank, 19-4
 - test, 28-8
- Severe Acute Respiratory Syndrome, 5-20
- Sewer overflow, 26-52
- Sewer Use Ordinance, 4-13, 4-21
- Shaft
 - alignment, 12-4
 - runout, 12-10
- Shell and tube heat exchanger, digesters, 30-32
- Shift work, 16-19
- Shock load, 18-21, 20-135
- Sidestream fermentation process, 20-26
- Sidestream treatment, rotating biological contactors, 21-44
- Sidestreams, 18-21
- Signal transmission networks, 7-38
- Signal transmission techniques, 7-36

Signatory and certification requirements, 4-24
 Signature analysis, 12-12
 Significant industrial user reporting requirements, 4-24
 Significant industrial user, 4-5
 Silos, composting, 32-5
 Siloxane, digesters, 30-41
 Simultaneous nitrification/denitrification, 20-24, 22-26
 Single-stage recarbonation, 24-49
 Single-sludge phosphorus removal, 20-25
 Single-sludge processes, 20-23
 Single-suction pumps, 8-35
 Site specific, 16-17
 Skatoles, 13-5
 Skill stratification, 16-20
 Skill verification, 16-24
 Skimming, floatable solids, 19-21
 Slide valve test, 8-80
 Slippage, 8-43
 Slow-rate land treatment, 23-29, 23-45
 Sludge, 2-2, 27-2

- blanket, 20-38, 20-120, 20-132, 24-17
- blanket sensors, 7-36
- conditioning, 28-9
- fermentation, 19-38
- management, 2-5
- mass calculation, 25-34
- mass estimation, 25-33
- processing, 13-21
- removal, 13-18
- settleability, biological nutrient removal, 22-19
- transfer, 13-21
- volume index, 17-18, 20-44, 20-46, 20-61, 20-103, 20-129, 28-8
- washout, 20-18
- wasting, 20-4, 20-11, 20-38, 20-40, 20-138, 28-4
- wasting, calculations, 14-12
- withdrawal rate, 24-38
- withdrawal, digesters, 30-56

 Sludge-to-sludge heat transfer, 30-34
 Slug discharge, 17-24, 17-29
 Soda ash, chemical addition, 25-43
 Sodium bicarbonate, 20-126, 27-4
 Sodium bisulfite, 26-38
 Sodium hypochlorite, 9-23, 24-60, 26-35
 Sodium hypochlorite, on-site generation, 9-47
 Sodium metabisulfite, 26-38
 Soft foot conditions, 12-10

- Solid waste disposal, 11-19
- Solid-liquid separation, 20-181
- Solids, 17-14
 - blanket, 20-44
 - capture, belt filter press, 33-66
 - characteristics, 19-27
 - collection, 19-19, 19-26
 - concentration, 7-33, 28-8
 - disposal, dewatering optimization, 33-31
 - handling, 19-8, 19-17
 - loading, belt filter press, 33-65
 - loading, dewatering centrifuge, 33-74
 - loading rate, 20-44, 24-38
 - overload, 20-120
 - processes, 13-40
 - pumping, 8-43, 8-56, 19-19
 - reduction, 20-182
 - removal, 19-18
 - retention time, 13-22, 20-7, 20-25, 20-40, 20-127, 20-140, 20-175, 20-177
 - throughput, dewatering optimization, 33-32
 - treatment, 13-21
 - washout, 20-117
- Solids-conditioning chemicals, 27-4
- Solids-contact unit, 24-17
- Soluble chemical oxygen demand removal, 24-50, 24-58
 - description, 24-52
 - fundamentals, 24-52
 - process control, 24-53
 - troubleshooting, 24-57
- Solution-feed system, 9-40
- Sonic signature, 12-16
- Sonication, 30-7
- Spare parts, 19-35
- Spare pump parts, 8-27, 8-43, 8-62
- Sparged turbine systems, 20-21
- Specialization, 16-20
- Specific denitrification rate, 22-26
- Specific gravities, 24-20
- Specific oxygen uptake rate, 20-104
- Specific speed, 8-12
- Specifications, 6-16
- Specifications, polymers, 33-25
- Speed measurement, 7-27
- Spiral-plate heat exchanger, digesters, 30-32
- Spulkraft flushing intensity, 21-20
- Square sedimentation tanks, 19-15

- Stabilization, 2-14, 13-23
- Stabilized residuals, 28-4
- Staffing, 3-10
 - discipline, 3-19
 - electrical distribution system, 10-38
 - performance appraisals, 3-19
 - process performance improvement, 25-7
 - recruitment, 3-15
 - retention and succession planning, 3-18, 3-20
- Stalked ciliates, 20-105
- Standard Methods*, 20-103
- Standard operating procedures, 14-9, 14-10
- Standards for the Use or Disposal of Sewage Sludge*, 27-6
- Standards, 5-12
- Standby power, 10-13
- State and local programs, 2-7
- State program status, 4-15
- Static fermenter, 19-40
- Static head, 8-6
- Stationary equipment, 7-47
- Statistics, 14-32
- Status sensors, 7-4
- Steam heating, digesters, 30-36
- Steam injection heating, digesters, 30-35
- Step feed, 20-18, 20-53, 20-74
- Step feeding, rotating biological contactors, 21-46
- Step systems, 21-52
- Step-BioP process, 20-27
- Stilling wells, 7-21
- Storage
 - bulk chemicals, 9-14, 9-15
 - chemical addition, 25-37
 - chemical purity, 9-20
 - chemicals, 9-11, 9-14
 - bag, drum, and tote, 9-17
 - cylinder and ton container, 9-19
 - leak detection, 9-16
 - troubleshooting, 9-21
 - chlorine, 5-13
 - facilities, 24-9
 - hazardous chemicals, 5-12
 - liquid hypochlorination, 26-37
- Storm sewers, 2-10
- Stormwater, 2-6, 17-3, 17-4
- Straggler floc, 20-138
- Strain gauge, 7-26

Strip mining, 27-8
Stripping tower, 24-61
Struvite
 dewatering, 33-15
 digester scaling, 30-61
Submerged mechanical aerators, 20-179
Submerged propellers, 20-34
Submerged pumps, 8-35
Submerged turbines, 20-34
Submersible pumps, 8-81
Substations, electrical distribution system, 10-14
Subsurface injection, 13-24
Success, 16-6
Succession planning, 3-18, 3-20
Suction piping, 12-9
Suction pumps, 8-34
Sulfate-reducing bacteria, 13-7
Sulfur cycle, 13-7
Sulfur dioxide, 26-38
Sulfur, 17-20
Sunset provisions, 16-14
Superfund Amendments and Reauthorization Act, 5-5
Supernatant, 20-174
Supervisor guided instruction, 16-18
Supervisory control and data acquisition system, 3-33, 6-8, 8-25, 20-70
Surface aerators, 20-33
Surface loading, 24-38
Surface overflow rate, 19-4, 19-5, 24-38
Surface washing, 24-33
Surfactants, 20-47
Surge testing, 12-17
Suspended and dissolved solids, 17-15
Suspended particulates, 7-33
Suspended solids, 17-15, 20-9
 concentration, 17-16, 26-6
 reduction, 24-28
Suspended-growth systems, 2-11
Switchgear, 10-14
Symbols, Hazardous chemicals, NFPA, 5-18
System curve, 8-6
System head, 8-6
System operating point, 8-13

T

Tachometer generators, 7-27

- Tailgate training, 16-18
- Tank configuration, 19-4, 19-7
- Tank configuration, digester, 30-11
- Tank depth, 20-80
- Tanks, rotating biological contactors, 21-38
- Tapered aeration, 20-18
- Task value, 16-23
- Technical assistance, dewatering, 33-11
- Telemetry, 7-39
- Temperature, 17-5, 19-6
 - anaerobic digestion, 30-63
 - control
 - aerobic-anoxic operation, 31-32
 - anaerobic digesters, 30-65
 - composting, 32-11
 - currents, 20-122
 - dewatering centrifuge, 33-79
 - effects, 20-41
 - fixed-film reactors, 21-5
 - measurement, 7-23
 - sensor installation, 7-25
- Tertiary lagoons, 23-3
- Testing, 25-16
 - anaerobic digestion, 30-62
 - centrifuge thickening, 29-66
 - chemical addition, 25-32
 - digester tracer studies, 25-63
 - dissolved air flotation thickening, 29-36
 - gravity belt thickening, 29-50
 - hydrogen peroxide, 25-23, 25-56, 25-58
 - offgas analysis, 25-52
 - oxygen transfer, 25-21, 25-61
 - procedures
 - pneumatic ejectors, 8-79
 - pumps, 8-21
 - results, 19-37
 - tracer, 25-19
- Theoretical detention time, 20-14
- Thermal bulb, 7-23
- Thermal dispersion mass meters, 7-15
- Thermal drying, 13-24
- Thermal energy, digester gas, 30-47
- Thermal hydrolysis, 30-7
- Thermal processes, 27-5, 27-9
- Thermal reduction processes, 28-7
- Thermal treatment

- heat treatment process, 32-19
- process comparison, 32-41
- process control, 32-21
- process descriptions, 32-18
- proprietary processes, 32-23
- safety/health, 32-24
- troubleshooting, 32-24
- wet air oxidation, 32-20
- Thermistors, 7-24
- Thermocouples, 7-23
- Thermographic analysis, 12-15
- Thermophilic digestion, 30-6
- Thermo-wells, 7-25
- Thickening, 2-13, 13-22, 28-2, 28-8, 29-1
 - ancillary equipment, 29-4
 - centrifuge, 29-58
 - chemical addition, 25-44
 - dissolved air flotation, 29-23
 - gravity belt, 29-39
 - gravity, 29-5
 - modes, 29-4
 - rotary drum, 29-67
- Thixotropy, 8-43
- Three-mode control, 7-45
- Threshold quantity, toxic substances, 9-11
- Tie breaker, 10-13
- Time composite, 17-25
- Time-domain waveforms, 12-13
- Timeliness, 16-24
- Time-proportional sampling, 4-19
- Timing, 16-29
- Title, 16-12
- Titrimetric chlorine residual procedure, 26-31
- Total dissolved solids, 24-8
- Total dynamic head, 8-8, 12-18
- Total energy requirement, 8-6
- Total head losses, 8-7
- Total Kjeldahl nitrogen, 20-125, 28-9
- Total organic carbon test, 17-8, 20-61
- Total residual, 26-30
- Total solids, 17-14, 17-15, 19-25
- Total suspended solids, 2-3, 2-13, 26-12
- Total system head, 8-8
- Total volatile solids, 19-25
- Toxicity control, anaerobic digesters, 30-65
- Toxicity reduction evaluation, 17-22

- Toxicity, fixed-film reactors, 21-5
- Toxics, 2-6
 - gases, 13-8
 - materials, 20-133
 - pollutants, 17-21
 - reduction evaluation records, 6-19
 - substances, 9-11
 - waste, 20-135
- Tracer testing, 25-19, 25-63
- Traffic safety, 5-48, 5-49
- Training, 3-15, 7-52, 16-5, 16-7, 16-9, 16-10, 16-17
 - ad hoc, 16-18
 - confined spaces, 5-32
 - electrical distribution system, 10-38
 - safety, 5-63
- Transducer, 12-12
- Transformers, 10-5
- Transformers, energy cost reduction, 10-44
- Transition for employees, 15-8, 15-17
- Transmitters, 7-4
- Trash/bar racks, 18-3
- Trenching and excavation safety, 5-37
- Tricking filters/biotowers
 - containment structure, 21-18
 - equipment description, 21-13
 - filter pump station, 21-18
 - loading alternatives, 21-8
 - maintenance troubleshooting, 21-25
 - operations troubleshooting, 21-23
 - planned maintenance, 21-28
 - process control, 21-19
 - process description, 21-12
 - roughing filters, 21-12
 - safety, 21-28
 - secondary clarifier, 21-18
 - troubleshooting, 21-22
- Trickling filter, combined processes, 21-59
- Trickling filter–activated sludge process, 21-58
- Trickling filter–solids contact process, 21-53
- Trihalomethanes, 2-6, 26-20, 26-38
- Troubleshooting, 14-21, 18-12, 19-26, 19-33, 20-99, 20-151
 - aerobic digestion, 31-60-31-64
 - anaerobic digesters, 30-70
 - belt filter press, 33-68
 - biological nutrient removal, 22-61
 - centrifuge thickening, 29-67

- chemical unloading and storage, 9-21
- chlorination, 26-33
- combined processes, 21-62
- composting, 32-14
- dechlorination, 26-42
- dewatering centrifuge, 33-80
- dissolved air flotation thickening, 29-36, 29-37
- electric motors, 10-35
- electrical distribution system, 10-26, 10-33
- flow meters, 25-50
- gravity belt thickening, 29-50, 29-52–29-57
- gravity thickening, 29-16, 29-17
- incineration, 32-41
- lagoons, 23-13
- land treatment, 23-42
- lime stabilization, 32-18
- ozonation, 26-47
- paved beds, 33-51
- pressure filter, 33-90
- pumps, 8-28, 8-62
- rotary drum thickening, 29-71, 28-72
- rotating biological contactors, 21-48
- sand beds, 33-51
- thermal treatment, 32-24
- trickling filters/biotowers, 21-22
- ultraviolet disinfection, 26-14
- vacuum-assisted drying beds, 33-52

Tube-in-bath heat exchanger, digesters, 30-31, 30-32,

Turbidimeters, 7-34, 20-F3

Turbidity, 17-6, 20-F2, 24-44

Turbine pumps, 8-35

Turbulence, 20-108

Turnover rates, digester, 30-27

Two-stage nitrification, 20-56

Two-stage processes, 21-52

U

- U.S. Clean Water Act, 20-49
- Ultrasonic analysis, 12-16
- Ultrasonic devices, 7-18
- Ultrasonic flow meters, 7-12
- Ultrasonic solids meters, 7-35
- Ultrasound treatment, 30-7
- Ultraviolet absorbance, 26-11
- Ultraviolet disinfection, 26-5

- description of equipment, 26-7
- equipment design, 26-11
- hydraulic characteristics, 26-11
- process control variables, 26-10
- shutdown, 26-8
- start-up, 26-8
- wastewater quality, 26-12
- Ultraviolet irradiation, 2-12
- Ultraviolet lamps, 26-12
- Ultraviolet light, 7-33
- Ultraviolet transmittance, 26-6, 26-11
- Un aerated stabilization lagoons, 23-4
- Underdrain systems, trickling filters/biotowers, 21-16
- Uniform Fire Code, 5-12
- Uninterruptible power systems, 10-23
- Unit process parameters, 25-10
- Unit process, capacity diagram, 25-13
- University of Cape Town process, 20-27–20-29, 20-59
- Unmixed digestion, 30-18
- Upflow carbon contactor, 24-53
- Upper gear assembly cleaning, 8-80
- Upset reports, 4-24
- Upstream units, 19-7
- Use options, 27-6
- Utilities, in-plant, 11-1 – 11-20
 - communication systems, 11-16
 - compressed air, 11-6
 - drainage systems, 11-4
 - fire protection systems, 11-10
 - flood protection, 11-18
 - fuel systems, 11-5
 - heating/ventilating/air conditioning, 11-11
 - lightning protection, 11-16
 - maintenance, 11-2
 - roadways, 11-16
 - solid waste disposal, 11-19
- water systems, 11-2
- Utility rates, 10-41

V

- Vacuum filters, 33-81
 - operation, 33-93
 - process variables, 33-94
- Vacuum-assisted drainage beds, 33-47
- Vacuum-assisted drying beds, troubleshooting, 33-52

- Valves
 - maintenance, 8-87
 - rotating biological contactors, 21-43
- Van Dorn sampler, 17-28
- Vapor-phase control, 13-34
- Variable-speed flash mixers, 24-10
- Vector attraction reduction, 30-10
- Velocity, 7-9
- Velocity head, 8-7
- Velocity profile distortions, 7-9
- Vendor, 16-17
- Ventilating systems, 11-11
- Ventilation hazards, 5-24
- Verification, 16-24
- Vertical centrifugal pumps, 8-38
- Vertical profile, 17-28
- Vertical wet-pit pumps, 8-35
- Vertical wet-well pumps, 8-35
- Vibration analysis, 12-12
- Vicinal water, biosolids, 33-6
- Virginia Initiative Plant, 22-42
- Virginia Initiative Process, 20-27, 20-29
- Viruses, 17-13, 24-27, 26-3
- Vivianite, digester scaling, 30-61
- Volatile acids, anaerobic digestion, 30-64
- Volatile fatty acids, 20-26
- Volatile organic compounds, 2-6, 13-16
- Volatile solids, 17-16
- Volatile suspended solids, 20-176
- Voltage step down, 10-13
- Volumetric electrode systems, 7-29
- Volumetric feeder, helix- or screw-type, 9-46
- Volumetric power input, 20-78
- Vortex grit chambers, 18-15
- Vulnerability analysis, 3-27

W

- Waste activated sludge, 20-4, 20-35, 20-47, 20-149
- Waste sludge characteristics, 20-175
- Wasteload management and projection reports, 6-18
- Wastewater characteristics, 19-5, 19-7
- Wasting, 20-4
- Wasting sludge, calculations, 14-12
- Water power, 8-8
- Water systems, 11-2

Wave transit time, 7-12
Wear nose, 8-19
Wear particle analysis, 12-14
Weather, 13-44
Wedge-wire beds, 33-48
Weekly reports, 6-23
Weigh beam, 7-25
Weight measurement, 7-25
Weirs, 7-9
Wet air oxidation, 32-20
Wet air oxidation, process control, 32-22
Wet pit only, 8-81
Wet pit/dry pit, 8-81
Wet scrubbers, 13-34
Wet wells, 13-16
Wet-weather treatment applications, 26-52
Whole effluent toxicity, 2-6, 17-21
Wind direction, 13-44
Windrow composting, 32-5
Wiring, electrical distribution system, 10-24
Wrench torque, 12-11
Writing objectives, 16-25
Wuhrmann process, 20-24

Z

Zeolites, 24-59, 24-63